PHILIPPINE BIDDING DOCUMENTS

Procurement of GOODS

Lot	Bid No.	P.R.	PhilGEPS	R.O.	Description	ABC	Rate
1	B20210215	21031481		PVO	PROCUREMENT OF 756-CAPACITY PURE SETTER AND 700-CAPACITY PURE HATCHER FOR ESTABLISHMENT OF LIVESTOCK AND POULTRY MULTIPLIER FARMS	1,133,000.00	5,000
2	B20210216	21032020		PADO - DRRMD	PROCUREMENT OF SCHOOL BASED EMERGENCY WARNING SIREN AND STEEL PLATED EARLY WARNING FOR PREPAREDNESS INFORMATION BOARD	1,900,000.00	5,000
3	B20210217	21031734		PEO	PROCUREMENT OF BOULDERS FOR IMPV'T, OF STO, NINO-PALMA GIL- SITIO OPAO PROV'L, ROAD, TALAINGOD, DDN	529,500.00	1,000
4	B20210222	21010357		PADO - DRRMD	PROCUREMENT OF TECHNICAL AND SCIENTIFIC EQUIPMENT FOR EWS- WEATHER MONITORING, FORECASTING & RECORDING OF CLIMATOLOGICAL DATA	1,999,900.00	5,000
5	B20210223	21020912		PEO	PROCUREMENT OF HARDWARE MATERIALS FOR CONST. OF CHILD DEVELOPMENT CENTER, P5 GABUYAN, KAPALONG, DDN	395,417.00	500
6	B20210224	21010396		PEO	PROCUREMENT OF HARDWARE MATERIALS FOR CONST. OF THREE (3) CLASSROOM BLDG. AT MOLING ELEM. SCHOOL, SITIO TIABONG, GUPITAN, KAPALONG, DDN	299,086.00	500
7	B20210225	21020882		PEO	PROCUREMENT OF EQUIPMENT RENTAL OF BACKHOE FOR DESILTATION OF CUAMBOGAN CREEK, TAGUM CITY	366, 755. 74	500
8	B20210226	20127340		PEO	PROCUPEMENT OF HARDWARE MATERIALS FOR IMPV'T. OF TRAINING CENTER AT PORRMC BUILDING (NEW BUILDING) (REVISED), GOV'T. CENTER, MANKILAM	688,254.00	1,000
9	B20210227	21020943		PEO	PROCUREMENT OF HARDWARE MATERIALS FOR CONST. OF THREE (3) CLASSROOM BUILDING AT TAGASAN INTEGRATED SCHOOL, GUPITAN, KAPALONG, DDN	346,448.00	500
10	B20210228	21021187		PADO - DRRMD	PROCUREMENT OF RICE FOR PSWDO – STOCKPILING OF RELIEFWELFARE GOODS	1,173,000.00	5,000

Provincial Government of Davao del Norte

Sixth Edition July 2020

Date Published: April 29, 2021

Preface

These Philippine Bidding Documents (PBDs) for the procurement of Goods through Competitive Bidding have been prepared by the Government of the Philippines for use by any branch, constitutional commission or office, agency, department, bureau, office, or instrumentality of the Government of the Philippines, National Government Agencies, including Government-Owned and/or Controlled Corporations, Government Financing Institutions, State Universities and Colleges, and Local Government Unit. The procedures and practices presented in this document have been developed through broad experience, and are for mandatory use in projects that are financed in whole or in part by the Government of the Philippines or any foreign government/foreign or international financing institution in accordance with the provisions of the 2016 revised Implementing Rules and Regulations of Republic Act No. 9184.

The Bidding Documents shall clearly and adequately define, among others: (i) the objectives, scope, and expected outputs and/or results of the proposed contract or Framework Agreement, as the case may be; (ii) the eligibility requirements of Bidders; (iii) the expected contract or Framework Agreement duration, the estimated quantity in the case of procurement of goods, delivery schedule and/or time frame; and (iv) the obligations, duties, and/or functions of the winning bidder.

Care should be taken to check the relevance of the provisions of the PBDs against the requirements of the specific Goods to be procured. If duplication of a subject is inevitable in other sections of the document prepared by the Procuring Entity, care must be exercised to avoid contradictions between clauses dealing with the same matter.

Moreover, each section is prepared with notes intended only as information for the Procuring Entity or the person drafting the Bidding Documents. They shall not be included in the final documents. The following general directions should be observed when using the documents:

- a. All the documents listed in the Table of Contents are normally required for the procurement of Goods. However, they should be adapted as necessary to the circumstances of the particular Procurement Project.
- b. Specific details, such as the "*name of the Procuring Entity*" and "*address for bid submission*," should be furnished in the Instructions to Bidders, Bid Data Sheet, and Special Conditions of Contract. The final documents should contain neither blank spaces nor options.
- c. This Preface and the footnotes or notes in italics included in the Invitation to Bid, Bid Data Sheet, General Conditions of Contract, Special Conditions of Contract, Schedule of Requirements, and Specifications are not part of the text of the final document, although they contain instructions that the Procuring Entity should strictly follow.

- d. The cover should be modified as required to identify the Bidding Documents as to the Procurement Project, Project Identification Number, and Procuring Entity, in addition to the date of issue.
- e. Modifications for specific Procurement Project details should be provided in the Special Conditions of Contract as amendments to the Conditions of Contract. For easy completion, whenever reference has to be made to specific clauses in the Bid Data Sheet or Special Conditions of Contract, these terms shall be printed in bold typeface on Sections I (Instructions to Bidders) and III (General Conditions of Contract), respectively.
- f. For guidelines on the use of Bidding Forms and the procurement of Foreign-Assisted Projects, these will be covered by a separate issuance of the Government Procurement Policy Board.

Table of Contents

Gloss	ary of Acronyms, Terms, and Abbreviations	5
Sectio	n I. Invitation to Bid	8
	n II. Instructions to Bidders	
1.	Scope of Bid	13
2.	Funding Information	13
3.	Bidding Requirements	
4.	Corrupt, Fraudulent, Collusive, and Coercive Practices	
5.	Eligible Bidders	
6.	Origin of Goods	15
7.	Subcontracts	15
8.	Pre-Bid Conference	16
9.	Clarification and Amendment of Bidding Documents	16
10.	Documents comprising the Bid: Eligibility and Technical Components	16
11.	Documents comprising the Bid: Financial Component	17
12.	Bid Prices	17
13.	Bid and Payment Currencies	18
14.	Bid Security	
15.	Sealing and Marking of Bids	18
16.	Deadline for Submission of Bids	18
17.	Opening and Preliminary Examination of Bids	
18.	Domestic Preference	
19.	Detailed Evaluation and Comparison of Bids	19
20.	Post-Qualification	
21.	Signing of the Contract	
Sectio	n III. Bid Data Sheet	21
Sectio	n IV. General Conditions of Contract	24
1.	Scope of Contract	25
2.	Advance Payment and Terms of Payment	25
3.	Performance Security	25
4.	Inspection and Tests	25
5.	Warranty	26
6.	Liability of the Supplier	
Sectio	n V. Special Conditions of Contract	27
Sectio	on VI. Schedule of Requirements	31
	n VII. Technical Specifications	
	on VIII. Checklist of Technical and Financial Documents	

Glossary of Acronyms, Terms, and Abbreviations

ABC – Approved Budget for the Contract.

BAC – Bids and Awards Committee.

Bid – A signed offer or proposal to undertake a contract submitted by a bidder in response to and in consonance with the requirements of the bidding documents. Also referred to as *Proposal* and *Tender*. (2016 revised IRR, Section 5[c])

Bidder – Refers to a contractor, manufacturer, supplier, distributor and/or consultant who submits a bid in response to the requirements of the Bidding Documents. (2016 revised IRR, Section 5[d])

Bidding Documents – The documents issued by the Procuring Entity as the bases for bids, furnishing all information necessary for a prospective bidder to prepare a bid for the Goods, Infrastructure Projects, and/or Consulting Services required by the Procuring Entity. (2016 revised IRR, Section 5[e])

BIR – Bureau of Internal Revenue.

BSP – Bangko Sentral ng Pilipinas.

Consulting Services – Refer to services for Infrastructure Projects and other types of projects or activities of the GOP requiring adequate external technical and professional expertise that are beyond the capability and/or capacity of the GOP to undertake such as, but not limited to: (i) advisory and review services; (ii) pre-investment or feasibility studies; (iii) design; (iv) construction supervision; (v) management and related services; and (vi) other technical services or special studies. (2016 revised IRR, Section 5[i])

CDA - Cooperative Development Authority.

Contract – Refers to the agreement entered into between the Procuring Entity and the Supplier or Manufacturer or Distributor or Service Provider for procurement of Goods and Services; Contractor for Procurement of Infrastructure Projects; or Consultant or Consulting Firm for Procurement of Consulting Services; as the case may be, as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.

CIF – Cost Insurance and Freight.

CIP – Carriage and Insurance Paid.

CPI – Consumer Price Index.

DDP – Refers to the quoted price of the Goods, which means "delivered duty paid."

DTI – Department of Trade and Industry.

EXW – Ex works.

FCA – "Free Carrier" shipping point.

FOB – "Free on Board" shipping point.

Foreign-funded Procurement or Foreign-Assisted Project– Refers to procurement whose funding source is from a foreign government, foreign or international financing institution as specified in the Treaty or International or Executive Agreement. (2016 revised IRR, Section 5[b]).

Framework Agreement – Refers to a written agreement between a procuring entity and a supplier or service provider that identifies the terms and conditions, under which specific purchases, otherwise known as "Call-Offs," are made for the duration of the agreement. It is in the nature of an option contract between the procuring entity and the bidder(s) granting the procuring entity the option to either place an order for any of the goods or services identified in the Framework Agreement List or not buy at all, within a minimum period of one (1) year to a maximum period of three (3) years. (GPPB Resolution No. 27-2019)

GFI – Government Financial Institution.

GOCC – Government-owned and/or –controlled corporation.

Goods – Refer to all items, supplies, materials and general support services, except Consulting Services and Infrastructure Projects, which may be needed in the transaction of public businesses or in the pursuit of any government undertaking, project or activity, whether in the nature of equipment, furniture, stationery, materials for construction, or personal property of any kind, including non-personal or contractual services such as the repair and maintenance of equipment and furniture, as well as trucking, hauling, janitorial, security, and related or analogous services, as well as procurement of materials and supplies provided by the Procuring Entity for such services. The term "related" or "analogous services" shall include, but is not limited to, lease or purchase of office space, media advertisements, health maintenance services, and other services essential to the operation of the Procuring Entity. (2016 revised IRR, Section 5[r])

GOP – Government of the Philippines.

GPPB – Government Procurement Policy Board.

INCOTERMS – International Commercial Terms.

Infrastructure Projects – Include the construction, improvement, rehabilitation, demolition, repair, restoration or maintenance of roads and bridges, railways, airports, seaports, communication facilities, civil works components of information technology projects, irrigation, flood control and drainage, water supply, sanitation, sewerage and solid waste management systems, shore protection, energy/power and electrification facilities, national

buildings, school buildings, hospital buildings, and other related construction projects of the government. Also referred to as *civil works or works*. (2016 revised IRR, Section 5[u])

LGUs – Local Government Units.

NFCC – Net Financial Contracting Capacity.

NGA – National Government Agency.

PhilGEPS - Philippine Government Electronic Procurement System.

Procurement Project – refers to a specific or identified procurement covering goods, infrastructure project or consulting services. A Procurement Project shall be described, detailed, and scheduled in the Project Procurement Management Plan prepared by the agency which shall be consolidated in the procuring entity's Annual Procurement Plan. (GPPB Circular No. 06-2019 dated 17 July 2019)

PSA – Philippine Statistics Authority.

SEC – Securities and Exchange Commission.

SLCC – Single Largest Completed Contract.

Supplier – refers to a citizen, or any corporate body or commercial company duly organized and registered under the laws where it is established, habitually established in business and engaged in the manufacture or sale of the merchandise or performance of the general services covered by his bid. (Item 3.8 of GPPB Resolution No. 13-2019, dated 23 May 2019). Supplier as used in these Bidding Documents may likewise refer to a distributor, manufacturer, contractor, or consultant.

UN – United Nations.

Section I. Invitation to Bid

Notes on the Invitation to Bid

The Invitation to Bid (IB) provides information that enables potential Bidders to decide whether to participate in the procurement at hand. The IB shall be posted in accordance with Section 21.2 of the 2016 revised IRR of RA No. 9184.

Apart from the essential items listed in the Bidding Documents, the IB should also indicate the following:

- a. The date of availability of the Bidding Documents, which shall be from the time the IB is first advertised/posted until the deadline for the submission and receipt of bids;
- b. The place where the Bidding Documents may be acquired or the website where it may be downloaded;
- c. The deadline for the submission and receipt of bids; and
- d. Any important bid evaluation criteria (*e.g.*, the application of a margin of preference in bid evaluation).

The IB should be incorporated in the Bidding Documents. The information contained in the IB must conform to the Bidding Documents and in particular to the relevant information in the Bid Data Sheet.



PROVINCIAL BIDS AND AWARDS COMMITTEE

INVITATION TO BID FOR PROCUREMENT OF GOODS

1. The Provincial Government of Davao del Norte, through the following Source of Funds;

B20210215	TRUST FUND
B20210216	5% CALAMITY FUND
B20210217	20% DF CY 2021
B20210222	5% CALAMITY FUND
B20210223	20% DF CY 2021
B20210224	20% DF CY 2021
B20210225	20% DF CY 2021
B20210226	20% DF CY 2021
B20210227	20% DF CY 2021
B20210228	5% CALAMITY FUND

intends to apply the sum of the corresponding Approved Budget for the Contract (ABC) to payments under the following contracts for Procurement of Goods. Bids received in excess of the ABC shall be automatically rejected at bid opening.

2. The Provincial Government of Davao del Norte now invites bids for the above Procurement Project, to wit:

Lot	Bid No.	P.R.	PhilGEPS	R.O.	Description	ABC	Rate
া	B20210215	21031481		PVO	PROCUREMENT OF 756-CAPACITY PURE SETTER AND 700-CAPACITY PURE HATCHER FOR ESTABLISHMENT OF LIVESTOCK AND POULTRY MULTIPLIER FARMS	1,133,000 00	5,000
2	B20210216	21032020		Pado - Drrmd	PROCUREMENT OF SCHOOL BASED EMERGENCY WARNING SIREN AND STEEL PLATED EARLY WARNING FOR PREPAREDNESS INFORMATION BOARD	1,900,000.00	5,000
3	B20210217	21031734		PEO	PROCUREMENT OF BOULDERS FOR IMPV'T. OF STO. NINO-PALMA GIL- SITIO OPAIO PROV'L. ROAD, TALAINGOD, DUN	529,500.00	1,000
4	B20210222	21010357		PADO - DRRMD	PROCUREMENT OF TECHNICAL AND SCIENTIFIC EQUIPMENT FOR EWS- WEATHER MONITORING, FORECASTING & RECORDING OF CLIMATOLOGICAL DATA	1,999,900.00	5,000
5	B20210223	21020912		PEO	PROCUREMENT OF HARDWARE MATERIALS FOR CONST. OF CHILD DEVELOPMENT CENTER, P5 GABUYAN, KAPALONG, DDN	395,417.00	500
8	B20210224	21010396		PEO	PROCUREMENT OF HARDWARE MATERIALS FOR CONST. OF THREE (3) CLASSROOM BLDG. AT MOUNG ELEM. SCHOOL, SITIO TIABONG, GUPITAN, KAPALONG, DDN	299,086.00	500
7	B20210225	21020882		PEO	PROCUREMENT OF EQUIPMENT RENTAL OF BACKHOE FOR DESILTATION OF CUAMBOGAN CREEK, TAGUM CITY	366,755.74	500
ß	B20210226	20127340		PEO	PROCUREMENT OF HARDWARE MATERIALS FOR IMPVT. OF TRAINING CENTER AT PDRRMC BUILDING (NEW BUILDING) (REVISED), GOVT. CENTER, MANKILAN	688,254.00	1,000

9		B20210227	21020943	PEO	PROCUREMENT OF HARDWARE MATERIALS FOR CONST. OF THREE (3) CLASSROOM BUILDING AT TAGASAN INTEGRATED SCHOOL, GUPITAN, KAPALONG, DDN	346,448.00	500
30	0	B20210228	21021187	Pado - Drrmd	PROCUREMENT OF RICE FOR PSWDO - STOCKPILING OF RELIEFWELFARE GOODS	1,173,000.00	5,000

Delivery of the Goods is required within ten (10) calendar days upon receipt of the <u>Purchase Order of the winning bidder unless specified in the Schedule of</u> <u>Requirements</u>. Bidders should have completed, within <u>3 years</u> from the date of submission and receipt of bids, a contract similar to the Project. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II (Instructions to Bidders).

3. Bidding will be conducted through open competitive bidding procedures using a nondiscretionary "*pass/fail*" criterion as specified in the 2016 revised Implementing Rules and Regulations (IRR) of Republic Act (RA) No. 9184.

Bidding is restricted to Filipino citizens/sole proprietorships, partnerships, or organizations with at least sixty percent (60%) interest or outstanding capital stock belonging to citizens of the Philippines, and to citizens or organizations of a country the laws or regulations of which grant similar rights or privileges to Filipino citizens, pursuant to RA No. 5183.

- 4. Prospective Bidders may obtain further information from Provincial Government of Davao del Norte and inspect the Bidding Documents at the address given below during 8:00 am-5:00 pm Mondays to Fridays.
- 5. A complete set of Bidding Documents may be acquired by interested Bidders on **April 29, 2021 to May 19,s 2021** from the given address and website(s) specifically at: BAC Secretariat Office, 2F PGSO Bldg., Government Center, Mankilam, Tagum Province of Davao Norte Citv. del or at http://www.davaodelnorte.gov.ph/index.php/bid-opportunities/bidding-invitations: and upon payment of the applicable fee for the Bidding Documents, pursuant to the latest Guidelines issued by the GPPB, in the amount as reflected in item no. 2. The Procuring Entity shall allow the bidder to present its proof of payment for the fees to be presented in person.
- 6. The Provincial Government of Davao del Norte will hold a Pre-Bid Conference through Google Meet® as the official platform for the videoconferencing on May 06, 2021, 9:00 am at which shall be opened to all interested parties. Interested parties for the online pre-bid conference shall send the following information at bacddn.supplemental@gmail.com a day before the pre-bid conference, to wit:
 - 1. Official e-mail address which will be used during videoconferencing;
 - 2. Name of Participant;
 - 3. Name and Address of Establishment;
 - 4. Bid Number; and
 - 5. Name of Project/Item Description

- 7. Bids must be duly received by the BAC Secretariat through **manual submission** at the office address indicated below on or before **May 20, 2021, 9:00 am**. Late bids shall not be accepted. Moreover, all interested parties can only attend the above-cited Opening of Bids through Google Meet® as the official platform for the videoconferencing. Interested parties for the online opening of bids shall send the following information at bacddn.supplemental@gmail.com a day before the opening of bids, to wit:
 - 1. Official e-mail address which will be used during videoconferencing;
 - 2. Name of Participant;
 - 3. Name and Address of Establishment;
 - 4. Bid Number; and
 - 5. Name of Project/Item Description
- 8. All Bids must be accompanied by a bid security in any of the acceptable forms and in the amount stated in **ITB** Clause 14.
- 9. Bid opening shall be on May 20, 2021, 9:00 am at the given address below. Bids will be opened in the presence of the bidders' representatives who choose to attend the activity online.
- 10. The Provincial Government of Davao del Norte reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract at any time prior to contract award in accordance with Sections 35.6 and 41 of the 2016 revised IRR of RA No. 9184, without thereby incurring any liability to the affected bidder or bidders.
- 11. For further information, please refer to:
 GLENN A. OLANDRIA, CE (Provincial Engineer)/BAC Chairperson Provincial Engineer's Office Government Center, Mankilam, Tagum City

BAC SECRETARIAT OFFICE

Province of Davao del Norte 2F PGSO Bldg., Government Center, Mankilam, Tagum City Telephone no. (province) 655-9415 Cellphone No. 09989630488 Email address: bacddn.supplemental@gmail.com Website address: www.davaodelnorte.gov.ph

12. You may visit the following websites:

For downloading of Bidding Documents: www.davaodelnorte.gov.ph

GLENN A. OLANDRIA, CE Provincial Engineer BAC Chairperson

Notes on the Instructions to Bidders

This Section on the Instruction to Bidders (ITB) provides the information necessary for bidders to prepare responsive bids, in accordance with the requirements of the Procuring Entity. It also provides information on bid submission, eligibility check, opening and evaluation of bids, post-qualification, and on the award of contract.

1. Scope of Bid

The Procuring Entity, Provincial Government of Davao del Norte wishes to receive Bids for the projects.

The Procurement Project (referred to herein as "Project") is composed of items indicated in Section VII. Technical Specifications.

2. Funding Information

Lot	Bid No.	Description	ABC	Funding Source
1	B20210215	PROCUREMENT OF 756-CAPACITY PURE SETTER AND 700-CAPACITY PURE HATCHER FOR ESTABLISHMENT OF LIVESTOCK AND POULTRY MULTIPLIER FARMS	1,133,000.00	TRUST FUND
2	B20210216	PROCUREMENT OF SCHOOL BASED EMERGENCY WARNING SIREN AND STEEL PLATED EARLY WARNING FOR PREPAREDNESS INFORMATION BOARD	1,900,000.00	5% CALAMITY FUND
3	B20210217	PROCUREMENT OF BOULDERS FOR IMPV'T. OF STO. NINO-PALMA GIL- SITIO OPAO PROV'L ROAD, TALAINGOD, DDN	529,500,00	20% DF CY 2021
4	B20210222	PROCUREMENT OF TECHNICAL AND SCIENTIFIC EQUIPMENT FOR EWS- WEATHER MONITORING, FORECASTING & RECORDING OF CLIMATOLOGICAL DATA	1,999,900.00	5% CALAMITY FUND
5	B20210223	PROCUREMENT OF HARDWARE MATERIALS FOR CONST. OF CHILD DEVELOPMENT CENTER, P5 GABUYAN, KAPALONG, DDN	395,417.00	20% DF CY 2021
6	B20210224	PROCUREMENT OF HARDWARE MATERIALS FOR CONST. OF THREE (3) CLASSROOM BLDG. AT MOUING ELEM. SCHOOL, SITIO TIABONG, GUPITAN, KAPALONG, DDN	299,086.00	20% DF CY 2021
7	B20210225	PROCUREMENT OF EQUIPMENT RENTAL OF BACKHOE FOR DESILITATION OF QUAMBOGAN CREEK, TAGUM CITY	366,755.74	20% DF CY 2021
8	B20210226	PROCUREMENT OF HARDWARE MATERIALS FOR IMPUT, OF TRAINING CENTER AT PORRMC BUILDING (NEW BUILDING) (REVISED), GOVT. CENTER, MANKILAM	688,254.00	20% DF CY 2021
S	B20210227	PROCUREMENT OF HARDWARE MATERIALS FOR CONST. OF THREE (3) CLASSROOM BUILDING AT TAGASAN INTEGRATED SCHOOL, GUPITAN, KAPALONG, DDN	346,448.00	20% DF CY 2021
10	B20210228	PROCUREMENT OF RICE FOR PSWDO - STOCKPILING OF RELIEFWELFARE GOODS	1,173,000.00	5% CALAMITY FUND

2.1. The GOP through the source of funding as indicated below, *viz:*

- 2.2. The source of funding is:
 - *a.* LGUs, the Annual or Supplemental Budget, as approved by the Sanggunian.

3. Bidding Requirements

The Bidding for the Project shall be governed by all the provisions of RA No. 9184 and its 2016 revised IRR, including its Generic Procurement Manuals and associated policies, rules and regulations as the primary source thereof, while the herein clauses shall serve as the secondary source thereof.

Any amendments made to the IRR and other GPPB issuances shall be applicable only to the ongoing posting, advertisement, or **IB** by the BAC through the issuance of a supplemental or bid bulletin.

The Bidder, by the act of submitting its Bid, shall be deemed to have verified and accepted the general requirements of this Project, including other factors that may affect the cost, duration and execution or implementation of the contract, project, or work and examine all instructions, forms, terms, and project requirements in the Bidding Documents.

4. Corrupt, Fraudulent, Collusive, and Coercive Practices

The Procuring Entity, as well as the Bidders and Suppliers, shall observe the highest standard of ethics during the procurement and execution of the contract. They or through an agent shall not engage in corrupt, fraudulent, collusive, coercive, and obstructive practices defined under Annex "T" of the 2016 revised IRR of RA No. 9184 or other integrity violations in competing for the Project.

5. Eligible Bidders

- 5.1. Only Bids of Bidders found to be legally, technically, and financially capable will be evaluated.
- 5.2. Foreign Bidders
 - a. Foreign ownership exceeding those allowed under the rules may participate pursuant to:
 - i. When a Treaty or International or Executive Agreement as provided in Section 4 of the RA No. 9184 and its 2016 revised IRR allow foreign bidders to participate;
 - ii. Citizens, corporations, or associations of a country, included in the list issued by the GPPB, the laws or regulations of which grant reciprocal rights or privileges to citizens, corporations, or associations of the Philippines;
 - iii. When the Goods sought to be procured are not available from local suppliers; or
 - iv. When there is a need to prevent situations that defeat competition or restrain trade.
 - b. Foreign ownership limited to those allowed under the rules may participate in this Project.

- 5.3. Pursuant to Section 23.4.1.3 of the 2016 revised IRR of RA No.9184, the Bidder shall have an SLCC that is at least one (1) contract similar to the Project the value of which, adjusted to current prices using the PSA's CPI, must be at least equivalent to:
 - a. For the procurement of Non-expendable Supplies and Services: The Bidder must have completed a single contract that is similar to this Project, equivalent to at least fifty percent (50%) of the ABC.
 - b. For the procurement of Expendable Supplies: The Bidder must have completed a single contract that is similar to this Project, equivalent to at least twenty-five percent (25%) of the ABC.
 - c. For procurement where the Procuring Entity has determined, after the conduct of market research, that imposition of either (a) or (b) will likely result to failure of bidding or monopoly that will defeat the purpose of public bidding: the Bidder should comply with the following requirements:
 - i. Completed at least two (2) similar contracts, the aggregate amount of which should be equivalent to at least *fifty percent* (50%) in the case of non-expendable supplies and services or twenty-five percent (25%) in the case of expendable supplies] of the ABC for this Project; and
 - ii. The largest of these similar contracts must be equivalent to at least half of the percentage of the ABC as required above.
- 5.4. The Bidders shall comply with the eligibility criteria under Section 23.4.1 of the 2016 IRR of RA No. 9184.

6. Origin of Goods

There is no restriction on the origin of goods other than those prohibited by a decision of the UN Security Council taken under Chapter VII of the Charter of the UN, subject to Domestic Preference requirements under **ITB** Clause 18.

7. Subcontracts

7.1. The Bidder may subcontract portions of the Project to the extent allowed by the Procuring Entity as stated herein, but in no case more than twenty percent (20%) of the Project.

The Procuring Entity has prescribed that:

- a. Subcontracting is allowed. The portions of Project and the maximum percentage allowed to be subcontracted are indicated in the **BDS**, which shall not exceed twenty percent (20%) of the contracted Goods.
- 7.2. The Bidder must submit together with its Bid the documentary requirements of the subcontractor(s) complying with the eligibility criteria stated in **ITB**

Clause 5 in accordance with Section 23.4 of the 2016 revised IRR of RA No. 9184 pursuant to Section 23.1 thereof.

- 7.3. The Supplier may identify its subcontractor during the contract implementation stage. Subcontractors identified during the bidding may be changed during the implementation of this Contract. Subcontractors must submit the documentary requirements under Section 23.1 of the 2016 revised IRR of RA No. 9184 and comply with the eligibility criteria specified in **ITB** Clause 5 to the implementing or end-user unit.
- 7.4. Subcontracting of any portion of the Project does not relieve the Supplier of any liability or obligation under the Contract. The Supplier will be responsible for the acts, defaults, and negligence of any subcontractor, its agents, servants, or workmen as fully as if these were the Supplier's own acts, defaults, or negligence, or those of its agents, servants, or workmen.

8. Pre-Bid Conference

The Procuring Entity will hold a pre-bid conference for this Project on the specified date and time and either at its physical address and/or through videoconferencing/webcasting as indicated in paragraph 6 of the **IB**.

9. Clarification and Amendment of Bidding Documents

Prospective bidders may request for clarification on and/or interpretation of any part of the Bidding Documents. Such requests must be in writing and received by the Procuring Entity, either at its given address or through electronic mail indicated in the **IB**, at least ten (10) calendar days before the deadline set for the submission and receipt of Bids.

10. Documents comprising the Bid: Eligibility and Technical Components

- 10.1. The first envelope shall contain the eligibility and technical documents of the Bid as specified in Section VIII (Checklist of Technical and Financial Documents).
- 10.2. The Bidder's SLCC as indicated in **ITB** Clause 5.3 should have been completed within 3 years prior to the deadline for the submission and receipt of bids.
- 10.3. If the eligibility requirements or statements, the bids, and all other documents for submission to the BAC are in foreign language other than English, it must be accompanied by a translation in English, which shall be authenticated by the appropriate Philippine foreign service establishment, post, or the equivalent office having jurisdiction over the foreign bidder's affairs in the Philippines. Similar to the required authentication above, for Contracting Parties to the Apostille Convention, only the translated documents shall be authenticated through an apostille pursuant to GPPB Resolution No. 13-2019 dated 23 May 2019. The English translation shall govern, for purposes of interpretation of the bid.

11. Documents comprising the Bid: Financial Component

- 11.1. The second bid envelope shall contain the financial documents for the Bid as specified in Section VIII (Checklist of Technical and Financial Documents).
- 11.2. If the Bidder claims preference as a Domestic Bidder or Domestic Entity, a certification issued by DTI shall be provided by the Bidder in accordance with Section 43.1.3 of the 2016 revised IRR of RA No. 9184.
- 11.3. Any bid exceeding the ABC indicated in paragraph 1 of the **IB** shall not be accepted.
- 11.4. For Foreign-funded Procurement, a ceiling may be applied to bid prices provided the conditions are met under Section 31.2 of the 2016 revised IRR of RA No. 9184.

12. Bid Prices

- 12.1. Prices indicated on the Price Schedule shall be entered separately in the following manner:
 - a. For Goods offered from within the Procuring Entity's country:
 - i. The price of the Goods quoted EXW (ex-works, ex-factory, exwarehouse, ex-showroom, or off-the-shelf, as applicable);
 - ii. The cost of all customs duties and sales and other taxes already paid or payable;
 - iii. The cost of transportation, insurance, and other costs incidental to delivery of the Goods to their final destination; and
 - iv. The price of other (incidental) services, if any, listed in the **BDS**.
 - b. For Goods offered from abroad:
 - i. Unless otherwise stated in the **BDS**, the price of the Goods shall be quoted delivered duty paid (DDP) with the place of destination in the Philippines as specified in the **BDS**. In quoting the price, the Bidder shall be free to use transportation through carriers registered in any eligible country. Similarly, the Bidder may obtain insurance services from any eligible source country.
 - ii. The price of other (incidental) services, if any, as listed in the **BDS**.

13. Bid and Payment Currencies

- 13.1. For Goods that the Bidder will supply from outside the Philippines, the bid prices may be quoted in the local currency or tradeable currency accepted by the BSP at the discretion of the Bidder. However, for purposes of bid evaluation, Bids denominated in foreign currencies, shall be converted to Philippine currency based on the exchange rate as published in the BSP reference rate bulletin on the day of the bid opening.
- 13.2. Payment of the contract price shall be made in:
 - a. Philippine Pesos.

14. Bid Security

- 14.1. The Bidder shall submit a Bid Securing Declaration or any form of Bid Security in the amount indicated in the **BDS**, which shall be not less than the percentage of the ABC in accordance with the schedule in the **BDS**.
- 14.2. The Bid and bid security shall be valid until **September 17, 2021**. Any Bid not accompanied by an acceptable bid security shall be rejected by the Procuring Entity as non-responsive.

15. Sealing and Marking of Bids

Each Bidder shall submit one copy of the first and second components of its Bid.

The Procuring Entity may request additional hard copies and/or electronic copies of the Bid. However, failure of the Bidders to comply with the said request shall not be a ground for disqualification.

If the Procuring Entity allows the submission of bids through online submission or any other electronic means, the Bidder shall submit an electronic copy of its Bid, which must be digitally signed. An electronic copy that cannot be opened or is corrupted shall be considered non-responsive and, thus, automatically disqualified.

16. Deadline for Submission of Bids

16.1. The Bidders shall submit on the specified date and time and either at its physical address or through online submission as indicated in paragraph 7 of the **IB**.

17. Opening and Preliminary Examination of Bids

17.1. The BAC shall open the Bids in public at the time, on the date, and at the place specified in paragraph 9 of the **IB**. The Bidders' representatives who are present shall sign a register evidencing their attendance. In case

videoconferencing, webcasting or other similar technologies will be used, attendance of participants shall likewise be recorded by the BAC Secretariat.

In case the Bids cannot be opened as scheduled due to justifiable reasons, the rescheduling requirements under Section 29 of the 2016 revised IRR of RA No. 9184 shall prevail.

17.2. The preliminary examination of bids shall be governed by Section 30 of the 2016 revised IRR of RA No. 9184.

18. Domestic Preference

18.1. The Procuring Entity will grant a margin of preference for the purpose of comparison of Bids in accordance with Section 43.1.2 of the 2016 revised IRR of RA No. 9184.

19. Detailed Evaluation and Comparison of Bids

- 19.1. The Procuring Entity's BAC shall immediately conduct a detailed evaluation of all Bids rated "*passed*," using non-discretionary pass/fail criteria. The BAC shall consider the conditions in the evaluation of Bids under Section 32.2 of the 2016 revised IRR of RA No. 9184.
- 19.2. If the Project allows partial bids, bidders may submit a proposal on any of the lots or items, and evaluation will be undertaken on a per lot or item basis, as the case maybe. In this case, the Bid Security as required by **ITB** Clause 14 shall be submitted for each lot or item separately.
- 19.3. The descriptions of the lots or items shall be indicated in **Section VII** (**Technical Specifications**), although the ABCs of these lots or items are indicated in the **BDS** for purposes of the NFCC computation pursuant to Section 23.4.2.6 of the 2016 revised IRR of RA No. 9184. The NFCC must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder.
- 19.4. The Project shall be awarded as follows:

Option 1 – One Project having several items that shall be awarded as one contract.

19.5. Except for bidders submitting a committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation, all Bids must include the NFCC computation pursuant to Section 23.4.1.4 of the 2016 revised IRR of RA No. 9184, which must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder. For bidders submitting the committed Line of Credit, it must be at least equal to ten percent (10%) of the ABCs for all the lots or items participated in by the prospective Bidder.

20. Post-Qualification

20.2. Within a non-extendible period of five (5) calendar days from receipt by the Bidder of the notice from the BAC that it submitted the Lowest Calculated Bid, the Bidder shall submit its latest income and business tax returns filed and paid through the BIR Electronic Filing and Payment System (eFPS) and other appropriate licenses and permits required by law and stated in the **BDS**.

21. Signing of the Contract

21.1. The documents required in Section 37.2 of the 2016 revised IRR of RA No. 9184 shall form part of the Contract. Additional Contract documents are indicated in the **BDS**.

Section III. Bid Data Sheet

Notes on the Bid Data Sheet

The Bid Data Sheet (BDS) consists of provisions that supplement, amend, or specify in detail, information, or requirements included in the ITB found in Section II, which are specific to each procurement.

This Section is intended to assist the Procuring Entity in providing the specific information in relation to corresponding clauses in the ITB and has to be prepared for each specific procurement.

The Procuring Entity should specify in the BDS information and requirements specific to the circumstances of the Procuring Entity, the processing of the procurement, and the bid evaluation criteria that will apply to the Bids. In preparing the BDS, the following aspects should be checked:

- a. Information that specifies and complements provisions of the ITB must be incorporated.
- b. Amendments and/or supplements, if any, to provisions of the ITB as necessitated by the circumstances of the specific procurement, must also be incorporated.

ITB Clause							
5.3	For t	his purpo	se, contr	acts sim	ilar to the Project shall be:		
	Lot	Bid No.	P.R.	R.O.	Description	ABC	Rate
	1	B20210215	21031481	PVO	PROCUREMENT OF 756-CAPACITY PURE SETTER AND 700-CAPACITY PURE HATCHER FOR ESTABLISHMENT OF LIVESTOCK AND POULTRY MULTIPLIER FARNS	1,133,000.00	5,000
	2	B20210218	21032020	Pado - Drrmd	PROCUREMENT OF SCHOOL BASED EMERGENCY WARNING SIREN AND STEEL PLATED EARLY WARNING FOR PREPAREDNESS INFORMATION BOARD	1,900,000.00	5,000
	з	B20210217	21031734	PEŌ	PROCUREMENT OF BOULDERS FOR IMPVT. OF STO, NINO-PALMA GIL- SITIO OPAO PROV'L. ROAD, TALAINGOD, DDN	529,500.00	1,000
	4	B20210222	21010357	Pado - Drrmd	PROCUREMENT OF TECHNICAL AND SCIENTIFIC EQUIPMENT FOR EWS- WEATHER MONITORING, FORECASTING & RECORDING OF CLIMATOLOGICAL DATA	1,999,900.00	5,000
	ō	B20210223	21020912	PEO	PROCUREMENT OF HARDWARE MATERIALS FOR CONST. OF CHILD DEVELOPMENT CENTER, P5 GABUYAN, KAPALONG, DDN	395,417.00	500
	Ĝ	B20210224	21010396	PEO	PROCUREMENT OF HARDWARE MATERIALS FOR CONST. OF THREE (3) CLASSROOM BLDG. AT MOLING ELEM. SCHOOL SITIO TIABONG, GUPITAN, KAPALONG, DDN	299,086.00	500
	7	B20210275	21020882	PEO	PROCUREMENT OF EQUIPMENT RENTAL OF BACKHOE FOR DESILITATION OF CUAMBOGAN CREEK, TAGUM CITY	366,755.74	500
	8	B20210226	20127340	PEO	PROCUREMENT OF HARDWARE MATERIALS FOR IMPVT. OF TRAINING CENTER AT PDRRMC BUILDING (NEW BUILDING) (REVISED), GOVT. CENTER, MANKILAM	688,254.CC	1,000
	9	B20210227	21020943	PEO	PROCUREMENT OF HARDWARE MATERIALS FOR CONST. OF THREE (3) CLASSROOM BUILDING AT TAGASAN INTEGRATED SCHOOL GUPITAN, KAPALONG, DDN	346,448.00	500
	10	B20210228	21021187	pado - Drrmd	PROCUREMENT OF RICE FOR PSWDO - STOCKPILING OF RFUEFWELFARE GOODS	1,173,000.00	5,000
	a.		eted with of bids.	nin <mark>3 ye</mark>	ears prior to the deadline for	the submi	ssion and
7.1	No f	<mark>urther ins</mark>		<mark>3.</mark>			
12	No f	urther ins	tructions	5 <mark>.</mark>			
14.1		bid securi wing forr	•		e form of a Bid Securing Decla	aration, or	any of the

Bid Data Sheet

	<i>perc</i> chec b. The	amount of not less than <i>ent (2%) of ABC]</i> , if bid security is k, bank draft/guarantee or irrevocable amount of not less than <i>ent (5%) of ABC]</i> if bid security is in S	s in cash, casl letter of credit; [the amount eq	nier's/manager's or		
19.3	Bid no.	Description	ABC			
17.5	B20210215	PROCUREMENT OF 756-CAPACITY PURE SETTER AND 700-CAPACITY PURE HATCHER FOR ESTABLISHMENT OF LIVESTOCK AND POULTRY MULTIPLIER FARMS	1,133,000.00	LOT AWARDING		
	B20210216	PROCUREMENT OF SCHOOL BASED EMERGENCY WARNING SIREN AND STEEL PLATED EARLY WARNING FOR PREPAREDNESS INFORMATION BOAR D	1,900,000.00	LOT AWARDING		
	B20210217	PROCUREMENT OF BOULDERS FOR IMPV'T OF STO. NINO-PALMA GIL- SITIO OPAO PROV'L. ROAD, TALAINGOD, DEN	529,500.CC	LOT AWARDING		
	B20210222	PROCUREMENT OF TECHNICAL AND SCIENTIFIC EQUIPMENT FOR EWS- WEATHER MONITOPING, FORECASTING & RECORDING OF CLIMATOLOGICAL DATA	1,999,900.00	LOT AWARDING		
	B20210223	PROCUREMENT OF HARDWARE MATERIALS FOR CONST. OF CHILD DEVELOPMENT CENTER, P5 GABUYAN, KAPALONG, DD N	395,417.CC	LOT AWARDING		
	B20210224	PROCUREMENT OF HARDWARE MATERIALS FOR CONST. OF THREE (3) CLASSROOM BLDG. AT MOLING ELEM. SCHOOL, SITIO TIABONG, GUPITAN, KAPALONG, DDN	299,086.CC	LOT AWARDING		
	B20210225	PROCUREMENT OF EQUIPMENT RENTAL OF BACKHOE FOR DESILTATION OF CUAMBOGAN CREEK, TAGUM CITY	366,755.74	LOT AWARDING		
	B20210226	PPOCUREMENT OF HARDWARE MATERIALS FOR IMPVT OF TRAINING CENTER AT PDRRMC BUILDING (NEW BUILDING) (REVISED), GOV'T. CENTER, MANKILAM	688,254.CC	LOT AWARDING		
	B20210227	PROCUREMENT OF HARDWARE MATERIALS FOR CONST. OF THREE (3) CLASSROOM BUILDING AT TAGASAN INTEGRATED SCHOOL, GUPITAN, KAPALONG, DDN	346,448.CC	LOT AWARDING		
	B20210228	PROCUREMENT OF RICE FOR PSWDQ - STOCKPILING OF RELIEF/WELFARE GOODS	1,173,000.00	LOT AWARDING		
20.2	Latest income and business tax returns filed and paid through the BIR Electronic Filing and Payment System (eFPS) and other appropriate licenses and permits required by law shall be submitted during post-qualification stage.					
21.2	No further i	instructions.				

Section IV. General Conditions of Contract

Notes on the General Conditions of Contract

The General Conditions of Contract (GCC) in this Section, read in conjunction with the Special Conditions of Contract in Section V and other documents listed therein, should be a complete document expressing all the rights and obligations of the parties.

Matters governing performance of the Supplier, payments under the contract, or matters affecting the risks, rights, and obligations of the parties under the contract are included in the GCC and Special Conditions of Contract.

Any complementary information, which may be needed, shall be introduced only through the Special Conditions of Contract.

1. Scope of Contract

This Contract shall include all such items, although not specifically mentioned, that can be reasonably inferred as being required for its completion as if such items were expressly mentioned herein. All the provisions of RA No. 9184 and its 2016 revised IRR, including the Generic Procurement Manual, and associated issuances, constitute the primary source for the terms and conditions of the Contract, and thus, applicable in contract implementation. Herein clauses shall serve as the secondary source for the terms and conditions of the Contract.

This is without prejudice to Sections 74.1 and 74.2 of the 2016 revised IRR of RA No. 9184 allowing the GPPB to amend the IRR, which shall be applied to all procurement activities, the advertisement, posting, or invitation of which were issued after the effectivity of the said amendment.

Additional requirements for the completion of this Contract shall be provided in the **Special Conditions of Contract (SCC).**

2. Advance Payment and Terms of Payment

- 2.1. Advance payment of the contract amount is provided under Annex "D" of the revised 2016 IRR of RA No. 9184.
- 2.2. The Procuring Entity is allowed to determine the terms of payment on the partial or staggered delivery of the Goods procured, provided such partial payment shall correspond to the value of the goods delivered and accepted in accordance with prevailing accounting and auditing rules and regulations. The terms of payment are indicated in the **SCC**.

3. Performance Security

Within ten (10) calendar days from receipt of the Notice of Award by the Bidder from the Procuring Entity but in no case later than the signing of the Contract by both parties, the successful Bidder shall furnish the performance security in any of the forms prescribed in Section 39 of the 2016 revised IRR of RA No. 9184.

4. Inspection and Tests

The Procuring Entity or its representative shall have the right to inspect and/or to test the Goods to confirm their conformity to the Project. In addition to tests in the **SCC**, **Section VII (Technical Specifications)** shall specify what inspections and/or tests the Procuring Entity requires, and where they are to be conducted. The Procuring Entity shall notify the Supplier in writing, in a timely manner, of the identity of any representatives retained for these purposes.

All reasonable facilities and assistance for the inspection and testing of Goods, including access to drawings and production data, shall be provided by the Supplier to the authorized inspectors at no charge to the Procuring Entity.

5. Warranty

- 5.1 In order to assure that manufacturing defects shall be corrected by the Supplier, a warranty shall be required from the Supplier as provided under Section 62.1 of the 2016 revised IRR of RA No. 9184.
- 5.2 The Procuring Entity shall promptly notify the Supplier in writing of any claims arising under this warranty. Upon receipt of such notice, the Supplier shall, repair or replace the defective Goods or parts thereof without cost to the Procuring Entity, pursuant to the Generic Procurement Manual.

6. Liability of the Supplier

The Supplier's liability under this Contract shall be as provided by the laws of the Republic of the Philippines.

If the Supplier is a joint venture, all partners to the joint venture shall be jointly and severally liable to the Procuring Entity.

Section V. Special Conditions of Contract

Notes on the Special Conditions of Contract

Similar to the BDS, the clauses in this Section are intended to assist the Procuring Entity in providing contract-specific information in relation to corresponding clauses in the GCC found in Section IV.

The Special Conditions of Contract (SCC) complement the GCC, specifying contractual requirements linked to the special circumstances of the Procuring Entity, the Procuring Entity's country, the sector, and the Goods purchased. In preparing this Section, the following aspects should be checked:

- a. Information that complements provisions of the GCC must be incorporated.
- b. Amendments and/or supplements to provisions of the GCC as necessitated by the circumstances of the specific purchase, must also be incorporated.

However, no special condition which defeats or negates the general intent and purpose of the provisions of the GCC should be incorporated herein.

GCC Clause					
1	Delivery and Documents –				
	[For Goods supplied from within the Philippines, state:] "The delivery terms applicable to this Contract are delivered [indicate place of destination]. Risk and title will pass from the Supplier to the Procuring Entity upon receipt and final acceptance of the Goods at their final destination."				
	Delivery of the Goods shall be made by the Supplier in accordance with the terms specified in Section VI (Schedule of Requirements).				
	Incidental Services –				
	The Supplier is required to provide all of the following services, including additional services, if any, specified in Section VI. Schedule of Requirements:				
	 a. performance or supervision of on-site assembly and/or start-up of the supplied Goods; b. furnishing of tools required for assembly and/or maintenance of the supplied Goods; c. furnishing of a detailed operations and maintenance manual for each appropriate unit of the supplied Goods; d. performance or supervision or maintenance and/or repair of the supplied Goods, for a period of time agreed by the parties, provided that this service shall not relieve the Supplier of any warranty obligations under this Contract; and 				
	e. training of the Procuring Entity's personnel, at the Supplier's plant and/or on-site, in assembly, start-up, operation, maintenance, and/or repair of the supplied Goods.				
	The Contract price for the Goods shall include the prices charged by the Supplier for incidental services and shall not exceed the prevailing rates charged to other parties by the Supplier for similar services.				
	Spare Parts –				
	The Supplier is required to provide all of the following materials, notifications, and information pertaining to spare parts manufactured or distributed by the Supplier:				

Special Conditions of Contract

1. such spare parts as the Procuring Entity may elect to purchase from the Supplier, provided that this election shall not relieve the Supplier of any warranty obligations under this Contract; and
2. in the event of termination of production of the spare parts:
i. advance notification to the Procuring Entity of the pending termination, in sufficient time to permit the Procuring Entity to procure needed requirements; and
ii. following such termination, furnishing at no cost to the Procuring Entity, the blueprints, drawings, and specifications of the spare parts, if requested.
The spare parts and other components required are listed in Section VI (Schedule of Requirements) and the costs thereof are included in the contract price.
The Supplier shall carry sufficient inventories to assure ex-stock supply of consumable spare parts or components for the Goods for a period of (refer to the Section VI. Schedule of Requirements).
Spare parts or components shall be supplied as promptly as possible, but in any case, within months of placing the order, but in any case, please refer to the Section VI. Schedule of Requirements.
Packaging –
The Supplier shall provide such packaging of the Goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in this Contract. The packaging shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packaging case size and weights shall take into consideration, where appropriate, the remoteness of the Goods' final destination and the absence of heavy handling facilities at all points
The Supplier shall provide such packaging of the Goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in this Contract. The packaging shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packaging case size and weights shall take into consideration, where appropriate, the remoteness of the
The Supplier shall provide such packaging of the Goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in this Contract. The packaging shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packaging case size and weights shall take into consideration, where appropriate, the remoteness of the Goods' final destination and the absence of heavy handling facilities at all points in transit. The packaging, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the Contract, including additional requirements, if any, specified
The Supplier shall provide such packaging of the Goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in this Contract. The packaging shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packaging case size and weights shall take into consideration, where appropriate, the remoteness of the Goods' final destination and the absence of heavy handling facilities at all points in transit. The packaging, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the Contract, including additional requirements, if any, specified below, and in any subsequent instructions ordered by the Procuring Entity.

	Any special handling instructions Any relevant HAZCHEM classifications
	A packaging list identifying the contents and quantities of the package is to be placed on an accessible point of the outer packaging if practical. If not practical the packaging list is to be placed inside the outer packaging but outside the secondary packaging.
	Transportation –
	Where the Supplier is required under Contract to deliver the Goods CIF, CIP, or DDP, transport of the Goods to the port of destination or such other named place of destination in the Philippines, as shall be specified in this Contract, shall be arranged and paid for by the Supplier, and the cost thereof shall be included in the Contract Price.
	Where the Supplier is required under this Contract to transport the Goods to a specified place of destination within the Philippines, defined as the Project Site, transport to such place of destination in the Philippines, including insurance and storage, as shall be specified in this Contract, shall be arranged by the Supplier, and related costs shall be included in the contract price.
	Where the Supplier is required under Contract to deliver the Goods CIF, CIP or DDP, Goods are to be transported on carriers of Philippine registry. In the event that no carrier of Philippine registry is available, Goods may be shipped by a carrier which is not of Philippine registry provided that the Supplier obtains and presents to the Procuring Entity certification to this effect from the nearest Philippine registry are available but their schedule delays the Supplier in its performance of this Contract the period from when the Goods were first ready for shipment and the actual date of shipment the period of delay will be considered force majeure.
	The Procuring Entity accepts no liability for the damage of Goods during transit other than those prescribed by INCOTERMS for DDP deliveries. In the case of Goods supplied from within the Philippines or supplied by domestic Suppliers risk and title will not be deemed to have passed to the Procuring Entity until their receipt and final acceptance at the final destination.
	Intellectual Property Rights –
	The Supplier shall indemnify the Procuring Entity against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the Goods or any part thereof.
2.2	No partial payment is allowed.
4	The inspections and tests that will be conducted are: After the delivery and acceptance of the end user.

Section VI. Schedule of Requirements

Lot no.	Bid no.	PR no.	Description	ABC		
1	B20210215	21031481	PROCUREMENT OF 756-CAPACITY PURE SETTER AND 700-CAPACITY PURE HATCHER FOR ESTABLISHMENT OF LIVESTOCK AND POULTRY MULTIPLIER FARMS	1,133,000.00		
Place of Del	livery: PGS	O Warehouse	2			
2	B20210216	21032020	PROCUREMENT OF SCHOOL BASED EMERGENCY WARNING SIREN AND STEEL PLATED EARLY WARNING FOR PREPAREDNESS INFORMATION BOARD	1,900,000.00		
Remarks:	TFRMS & CO	ONDITIONS:				
	installed to 1	tion period 60 Public Scho O Warehouse	ols within the province of Davao del No PROCUREMENT OF BOULDERS FOR	orte		
3	B20210217	21031734	IMPVT. OF STO. NINO-PALMA GIL- SITIO OPAO PROV'L. ROAD, TALAINGOD, DDN	529,500.00		
Place of Del	livery: Job	Site				
	-		PROCUREMENT OF TECHNICAL AND			
4	B20210222	21010357	SCIENTIFIC EQUIPMENT FOR EWS- WEATHER MONITORING FORECASTING & RECORDING OF CLIMATOLOGICAL DATA	1,999,900.00		
	stallation, tes Period: 90 w	ting, integration orking days up	, and commissioning on receipt of the Notice to Commence PROCUREMENT OF HARDWARE MATERIALS FOR CONST. OF CHILD DEVELOPMENT CENTER, P5 GABUYAN, KAPALONG, DDN	395,417.00		
Remarks: TERMS & CONDITIONS: FOR CEMENT: Winning establishment must submit Mill Certificate.						
	nate with Qu	ality Control (Q.	C.) Engineer for the conduct of Quality ing establishment.	Test through Universal Testing		
FOR LEDS: 1. The supplier shall supply products which are packed in recyclable materials						
1. The product (TBT) and t	shall not cor triphenyltin (TF	ntain mercury, lea PT). If the above s	for PAINTS AND VARNISHES ad, cadmium, hexa-valent chromium, bar substances exist in the product as impuriti e use of Bariumsulfate (Barite) is excluded	es or contaminant, their total weight		

2. The packaging shall be accompanied by a brief statement discouraging improper disposal of the material and encouraging consultation which local authorities for disposal requirements or recycling opportunities as specified in RA 9003 under article 4. Place of Delivery: PGSO Warehouse PROCUREMENT OF HARDWARE MATERIALS FOR CONST. OF THREE (3) CLASSROOM BLDG. AT MOLING ELEM. 21010396 6 B20210224 299,086.00 SCHOOL, SITIO TIABONG, GUPITAN, **KAPALONG, DDN** Remarks: TERMS and CONDITIONS: A. All RSB/DRB/DSB except 8mm RSB: 1. Please coordinate with Quality Control (Q.C.) Engineer for the conduct of Quality Test through Universal Testing Machine (UTM) at the expense of the winning establishment. B. Paints 1. The product shall not contain mercury, lead, cadmium, hexa-valent chromium, barium, antimony, as well as tributyltin (TBT) and triphenyltin (TPT). If the above substances exist in the product as impurities or contaminant. their total weight shall be less than 0.1% of the product. The use of Bariumsulfate (Barite) is excluded from this limitation. 2. The packaging shall be accompanied by a brief statement discouraging improper disposal of the material and encouraging consultation with local authorities for disposal requirements or recycling opportunities as specified in RA 9003 under Article 4. Place of Delivery: PGSO Warehouse PROCUREMENT OF EQUIPMENT RENTAL 7 B20210225 21020882 BACKHOE FOR DESILTATION OF 366,755,74 CUAMBOGAN CREEK, TAGUM CITY Place of Delivery: JOBSITE PROCUREMENT OF HARDWARE MATERIALS FOR IMPVT. OF TRAINING 8 B20210226 20127340 CENTER AT PDR.RMC BUILDING (NEW 688.254.00 BUILDING) (REVISED), GOVT. CENTER, MANKILAM TERMS and CONDITIONS: Remarks: A. Cement 1. Winning establishment must submit Mill Certificate. B. All RSB/DRB/DSB except 8mm RSB: 1. Please coordinate with Quality Control (Q.C.) Engineer for the conduct of Quality Test through Universal Testing Machine (UTM) at the expense of the winning establishment. C. LEDs 1. The supplier shall supply products which are packaged in recyclable material. D. Paints 1. The product shall not contain mercury, lead, cadmium, hexa-valent chromium, barium, antimony, as well as tributyltin (TBT) and triphenyltin (TPT). If the above substances exist in the product as impurities or contaminant, their total weight shall be less than 0.1% of the product. The use of Bariumsulfate (Barite) is excluded from this limitation. 2. The packaging shall be accompanied by a brief statement discouraging improper disposal of the material and encouraging consultation with local authorities for disposal requirements or recycling opportunities as specified in RA 9003 under Article 4. E. Toilets 1. The nominal full flush volume shall not exceed 6.0 liters/flush. 2. Toilets (toilet suites delivering a full flush volume of more than 4.0 liters and toilet flushing systems shall be equipped with a water-saving device. The reduced flush volume shall not exceed 3.0 liters/flush. 3. The supplier shall supply products which are packaged in materials that should be recyclable.

tributyltin (TBT) and triphenyltin (TPT). If the above substances exist in the product as impurities or contaminat their total weight shall be less than 0.1% of the product. The use of Bariumsulfate (Barite) is excluded from this limitation. 2. The packaging shall be accompanied by a brief statement discouraging improper disposal of the material are encouraging consultation with local authorities for disposal requirements or recycling opportunities as specifier RA 9003 under Article 4. Place of Delivery: PGSO Warehouse 10 B20210228 21021187	9	B20210227	21020943	PROCUREMENT OF HARDWARE MATERIALS FOR CONST. OF THREE (3) CLASSROOM BUILDING AT TAGASAN INTEGRATED SCHOOL, GUPITAN, KAPALONG, DDN	346,448.00					
1. Please coordinate with Quality Control (Q.C.) Engineer for the conduct of Quality Test through Universal Testing Machine (UTM) at the expense of the winning establishment. C. Paints 1. The product shall not contain mercury, lead, cadmium, hexa-valent chromium, barium, antimony, as well as tributyltin (TBT) and triphenyltin (TPT). If the above substances exist in the product as impurities or contamina their total weight shall be less than 0.1% of the product. The use of Bariumsulfate (Barite) is excluded from thi limitation. 2. The packaging shall be accompanied by a brief statement discouraging improper disposal of the material at encouraging consultation with local authorities for disposal requirements or recycling opportunities as specifier RA 9003 under Article 4. Place of Delivery: PGSO Warehouse 10 B20210228 21021187	A. Cement:									
1. The product shall not contain mercury, lead, cadmium, hexa-valent chromium, barium, antimony, as well as tributyltin (TBT) and triphenyltin (TPT). If the above substances exist in the product as impurities or contaminat their total weight shall be less than 0.1% of the product. The use of Bariumsulfate (Barite) is excluded from thi limitation. 2. The packaging shall be accompanied by a brief statement discouraging improper disposal of the material ai encouraging consultation with local authorities for disposal requirements or recycling opportunities as specifier RA 9003 under Article 4. Place of Delivery: PGSO Warehouse 10 B20210228 21021187	1. Please coordinate with Quality Control (Q.C.) Engineer for the conduct of Quality Test through Universal									
Place of Delivery: PGSO Warehouse 10 B20210228 21021187 PROCUREMENT OF RICE FOR PSWDO – STOCKPILING OF RELIEF/WELFARE 1,173,000.00	 The product shall not contain mercury, lead, cadmium, hexa-valent chromium, barium, antimony, as well as tributyltin (TBT) and triphenyltin (TPT). If the above substances exist in the product as impurities or contaminant, their total weight shall be less than 0.1% of the product. The use of Bariumsulfate (Barite) is excluded from this limitation. The packaging shall be accompanied by a brief statement discouraging improper disposal of the material and encouraging consultation with local authorities for disposal requirements or recycling opportunities as specified in 									
10 B20210228 21021187 STOCKPILING OF RELIEF/WELFARE 1,173,000.00			O Warehouse	9						
00005	10	B20210228	21021187		1,173,000.00					

Notes for Preparing the Technical Specifications

A set of precise and clear specifications is a prerequisite for Bidders to respond realistically and competitively to the requirements of the Procuring Entity without qualifying their Bids. In the context of Competitive Bidding, the specifications (*e.g.* production/delivery schedule, manpower requirements, and after-sales service/parts, descriptions of the lots or items) must be prepared to permit the widest possible competition and, at the same time, present a clear statement of the required standards of workmanship, materials, and performance of the goods and services to be procured. Only if this is done will the objectives of transparency, equity, efficiency, fairness, and economy in procurement be realized, responsiveness of bids be ensured, and the subsequent task of bid evaluation and post-qualification facilitated. The specifications should require that all items, materials and accessories to be included or incorporated in the goods be new, unused, and of the most recent or current models, and that they include or incorporate all recent improvements in design and materials unless otherwise provided in the Contract.

Samples of specifications from previous similar procurements are useful in this respect. The use of metric units is encouraged. Depending on the complexity of the goods and the repetitiveness of the type of procurement, it may be advantageous to standardize the General Technical Specifications and incorporate them in a separate subsection. The General Technical Specifications should cover all classes of workmanship, materials, and equipment commonly involved in manufacturing similar goods. Deletions or addenda should then adapt the General Technical Specifications to the particular procurement.

Care must be taken in drafting specifications to ensure that they are not restrictive. In the specification of standards for equipment, materials, and workmanship, recognized Philippine and international standards should be used as much as possible. Where other particular standards are used, whether national standards or other standards, the specifications should state that equipment, materials, and workmanship that meet other authoritative standards, and which ensure at least a substantially equal quality than the standards mentioned, will also be acceptable. The following clause may be inserted in the Special Conditions of Contract or the Technical Specifications.

Sample Clause: Equivalency of Standards and Codes

Wherever reference is made in the Technical Specifications to specific standards and codes to be met by the goods and materials to be furnished or tested, the provisions of the latest edition or revision of the relevant standards and codes shall apply, unless otherwise expressly stated in the Contract. Where such standards and codes are national or relate to a particular country or region, other authoritative standards that ensure substantial equivalence to the standards and codes specified will be acceptable. Reference to brand name and catalogue number should be avoided as far as possible; where unavoidable they should always be followed by the words "*or at least equivalent*." References to brand names cannot be used when the funding source is the GOP.

Where appropriate, drawings, including site plans as required, may be furnished by the Procuring Entity with the Bidding Documents. Similarly, the Supplier may be requested to provide drawings or samples either with its Bid or for prior review by the Procuring Entity during contract execution.

Bidders are also required, as part of the technical specifications, to complete their statement of compliance demonstrating how the items comply with the specification.

Technical Specifications

Lot no.	Bid no.	PR no.	Description	ABC	Remarks
1	[Bidders must state here either "Comply" or "Not Comply" against each of the				
1 11 units 75 2 11 units 70 2 11 units 70 Remarks 1. Pre-cali 2. 220 voli 3. Formiz- 4. Heavy- 6. With the 7. Coil Tul 8. 24-hour 9. Built-in 10. 3-way 11. Red P 12. Yellow 13. 14 Egg 14. Inner 15. 7 Hato 16. 2 Wath 15. 7 Hato 16. 2 Wath 17. 1 Wath 18. Suppli 20. Suppli 21. Comm 22. With 1 23. 7 days	individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" or "Not Comply" or "Not Comply" or "Not Comply" or "Not Comply" and the supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un- amended sales literature, unc onditional statements of specification and compliance issued by the				
2 160 lots S	manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of				
Technical Re For Batingav G.I. Pipe #3 6 feet above 2 feet high C 16mm Steel 1 pc Steel H 1 Sack Cem 4 Sacks of S With site insi For the Stee					

1x1 feet Fr 26 Gauge					compliance or the supporting evidence that is found to be false either during Bid
3	B20210217	21031734	PROCUREMENT OF BOULDERS FOR IMPV'T. OF STO. NINO-PALMA GIL- SITIO OPAO PROV'L. ROAD, TALAINGOD, DDN	529,500.00	evaluation, post- qualification or the execution of the Contract may be
353 cu.m E	Boulders				regarded as
4	B20210222	21010357	PROCUREMENT OF TECHNICAL AND SCIENTIFIC EQUIPMENT FOR EWS- WEATHER MONITORING, FORECASTING & RECORDING OF CLIMATOLOGICAL DATA	1,999,900.00	fraudulent and render the Bidder or supplier liable for prosecution subject to the
rel 2. Pr 3. 32 84 4. Nf 5. Tr co 6. W co 2 1 se Spec 1. Int to re remo 2. De RYX	ative humidity, a ogram link to ex 2-bit high speed x84 graphical L0 EMA IP65 cabin ne site is powere ntroller on 100W ireless telemetry mmand center. et COMMAND A cifications: telligent monitor ceive sensor rea otely the reading esktop compute EN 3	and rain gauge is ting mass sir Microcontrolled CD; et upgrade to f ed by a deep-cy / solar panel. y system Softw ND CONTROL ing software in adings from the is; and manage r with 8GB RAI	ren; r and non-volatile storage memory, display of 128 nouse the upgraded remote terminal unit; ycle solar battery maintenance free battery charg rare at site controller to read, store, and transmit r	X64 OLED or 1.6 inch ed by a 30A charger	
UPS 3 120 p	/600W; cs PREPAID CE	ELL CARD			
5	B20210223	21020912	I for 1 year to 10 stations PROCUREMENT OF HARDWARE MATERIALS FOR CONST. OF CHILD DEVELOPMENT CENTER, P5 GABUYAN KAPALONG, DDN	395,417.00	
2 12 pc 5 3 1 pc 5r 4 30 pc 3 5 8 pc 8" 6 7 kg 13 7 6 kg 23 8 15 kg 4 9 3 box 8 10 1,100 11 300 p 12 18 pc 13 50 pc 14 15 pc 15 61 pc 16 30 pc 17 224 p 18 45 PC	8.5mm thk x 1.2 x 48" PVC Air V 2" CW Nails 2" CW Nails 4" CW nails 3lind Rivets (50 pc Hardidrive S c Self Tapping S 0.40mm thk x 2 0.40mm thk x 1	2.40m Ordinar .40m Marine P 0m x 2.40m Fit /entilation (Str 0/box) ccrew 5mm x 25mm x 9mm x 25mm x 9mm x 50mm x 50mm x 9mm x 50mm x	ywood with PS Marking oer Cement Board raight type) White x 3m Wall Angle < 5m Metal Furring (Double) < 5m Primary Channel		

22 D2 C Terms X 12 AnchordSit winuts and wather 21 To 2, Smm X 25mm X 50m Anglet Bar 21 To 2, Smm X 25mm X 50m Anglet Bar 21 To 2, Smm X 25mm X 50m Anglet Bar 21 To 2, Smm X 50m X 50m X 50m Anglet Bar 21 To 2, Smm X 50m			
21 12: a Sum Ihix 2 Sum x 50m Angle Bar [Bidders must state 22: pc4.5mm Kix x 30m X 50m Angle Bar "Comply" or "Not 21: pc 6mm x 25mm x 50m Angle Bar "Comply" or "Not 22: pc1.5mm Kix x 50m X 50m Angle Bar "Comply" or "Not 22: pc1.5mm Kix x 50m X 50m Angle Bar "Comply" or "Not 22: pc1.5mm Kix x 25 x 60m X 100m x 60m Cce Pulits GA 2/4 ecch, of the 22: pc1.5mm Kix x 25 x 60m X 100m x 60m Cce Pulits GA 2/4 ecch, of the 22: pc1.5mm Kix x 25 x 60m X 100m x 60m Cce Pulits GA 2/4 ecch, of the 22: pc1.5mm Kix x 25 x 60m X 100m x 60m Cce Pulits GA 2/4 ecch, of the 22: pc1.5mm Kix x 25 x 60m X 100m X 60m Cce Pulits GA 2/4 ecch, of the 22: pc1.4mm Kix x 25 x 60m X 100m X 60m Cce Pulits GA 2/4 ecch, of the 22: pc1.4mm Kix x 25 x 60m X 100m X 60m Cce Pulits GA 2/4 ecch, of the 21: pc1.2mx Cast (D retting Sched (Yott)) performance 22: pc1.4mm Stahless Steel (Yott) performance 22: pc1.4mm Kix X 25 x 60m X 100m X 60m Cce Pulits Cast 20 corresponding 21: pc1 20: acd Cast Cast 0.4mm Cce Pulits Cast 20 corresponding 21: pc1 20: acd Cast Cast 0.4mm Cce Pulits Cast 20 corresponding 21: pc1 20: acd Cast 20 fill add 20 corresponding </td <td></td> <td></td> <td></td>			
25 2p 4.5mm Hk. x Shm x 3 km x 3 km x 3 km x 4 km Argbe Bar Protein Km x 5 km x 3 km x 3 km x 4 km Argbe Bar 27 12 pc fmm x 50mm x 50m k 6 km Argbe Bar "Comply" cor" Not 28 pc 1 1mm Hk. x 50m x 1 km Base Plate individual 29 pc 1 mm Hk. x 50m x 1 km Base Plate individual 31 Hg M 16 G. I. Te Wre pc 2 mm Base Plate 32 kg 3 2 02 w Wolfing Bad pc 2 mm Base Plate 33 kg 3 2 02 w Wolfing Bad pc 2 mm Charb Sum x 5 mm			
26 11 pc chm x 25mm x 25mm x 60m Argle Bar "Comply" or "Not 27 12 pc chm x 50mm x 10mm x 60m Argle Bar "Comply" agains 28 pc 1.2mm hk x 20 Softm x 100mm x 60m Coc Purins GA 224 Comply" or "Not 29 pc 1.3mm hk x 20 Softm x 100mm x 60m Coc Purins GA 224 Comply" or "Not 20 pc 1.3mm hk x 20 Softm x 100mm x 60m Coc Purins GA 224 Comply" or "Not 20 pc 1.3mm hk x 20 Softm x 100mm x 60m Coc Purins GA 224 Softm x 20mm x 10mm Base Plate 21 pc 1.5m kx 20 Softm X 100mm x 60m Coc Purins GA 244 Softm 20			[Bidders must state
26 11 pc chim x 25mm x 30mm x 60m Agle Bar "Comply" or "Nor 27 2			-
2 2		5	
29 2pt 15mm tHk, 27 as 6.0m Stabiles Steel each of the individual 31 19 kg 16 G. I. Te We individual 33 2k g 3.20 m Widing Bod Specification 33 2k g 3.20 m Widing Bod Specification 34 kg 1.5m Stabiess Stol Widing Rod corresponding 35 pt 2.5x 6.0m G1 Pige, Sch. 40 corresponding 36 g 4.27 w Widing Rod corresponding 37 pt 2.2 w 6.0m G1 Pige, Sch. 40 granumeter of the individual 36 g 4.27 w Widing Rod Statements of specification 37 trap 3.2 m K 2.5 w 7.5 m 6.5 m 7.5 m 7			* •
30 2pc 200mm x 200mm x 10mm Base Plate individual 31 194 get 6. L The Wee parameters of each 32 15 pc Hacksaw Blade Specific ation 31 15 pc Hacksaw Blade Specific ation 32 15 pc Hacksaw Blade Specific ation 33 15 pc Hacksaw Blade Specific ation 34 15 pc Hacksaw Blade Specific ation 35 2pc 14* oct at Dbsc brasel performance 36 2pc 14* oct at Dbsc brasel prommeters of the 37 1pg 20 x 60m G1 Ppc, Sch. 40 Statements of 36 11 gg 3 Lengt Back Cast (Prent Grade) B1711 Statements of 37 11 gg 3 Lengt Back Cast (Prent Grade) B1711 evidence in a 38 11 gg 3 Lengt Back Cast (Prent Grade) B171 evidence in a 39 11 gg 3 Lengt Back Dole B100 Bidders Bid and cross-referenced to 39 11 gg 3 Lengt Back Dole B100 Bidders Bid and cross-referenced to 30 11 gg 3 Lengt Back Back cross-referenced to that evidence. 30 1pg 1 Lengt Back Back cross-referenced to that evidence. 31 <td></td> <td></td> <td></td>			
31 1 ³ <			v
32 15 pc Hacksaw Blade Specification 33 24 pc 320 Welding Rod stating the 34 14 pc 140m Stainless Steel Welding Rod corresponding 34 14 pc 140 Could Disc tor steel performance 31 pc 240 Could Disc tor steel performance 31 pc 240 Could Disc tor steel performance 31 pd Acyte Phime B1705 Statements of 41 pd Acyte Phime B1705 Statements of 42 pd Flat Lates Paint equiptent of the 43 pd Flat Lates Paint Statements of 43 pd Flat Lates Paint Statements of 44 pd Flat Lates Paint Statements of 45 pd Hold Financ Rod Date B30 Comply " wurst be 45 gd Acytes Reducer Evidence in a 46 gd Flat Thinne Evidence in a 47 gd Acytes Reducer Evidence in a 47 gd Acytes Reducer Evidence in a 47 gd Acytes Reducer Evidence in a 48 gd Acytes Reducer Evidence in a 49 gd Acytes Reducer Evi			
33 22 kg 3.20° Welding Rod stating the 34 1kg 1.6mm Stahless Stele Welding Rod corresponding 35 2p 1.4°o Cut-off Disc for steel (Tyroth) performance 36 1p 2.2°o 4.6°m G1 Ppic, Sch 40 parameter of the 37 1p 2.2°o 4.6°m G1 Ppic, Sch 40 Statime mis of 37 1p 3.4 Acytex Primer B1705 Statime mis of 37 1p 3.4 Acytex Primer B1705 Statime mis of 39 1p 3.4 Acytex Primer B1705 Statime mis of 40 1p 3.4 Sent Cass Acytex paint B171 (5 (Top Coal)) Comply" or "Nor 42 4p 1.64 Kull Ist came Paint B800 Comply" in ust be 43 1p 3.4 King KEducer Comply" in ust be 44 8 gal Acytex Reducer that evidence. 45 8 gal Acytex Reducer that evidence. 46 8 gal Acytex Reducer that evidence. 47 8 gal Acytex Reducer that evidence. 48 6 gal Paint Thinmer that evidence. 49 3 gal Point Blob 7.2 Sent Papor that evidence. 50 8 pa Acytex Reducer that evidence. 51 pe 4.6 M May &		5	· ·
34 1kg 16mm Stainlass Steel Weiding Rod corresponding 35 2pc 140 Cuird Disc for steel performance 37 1pc 270 x 60m Ging Disc for steel parameter of the 37 1pc 270 x 60m Gioss Arytex paint B1715 (Top Coal) corresponding 38 1pd Acytex Cast () Prem. Grade B1711 Statements of 39 1pd Acytex Cast () Prem. Grade B1711 corresponding 30 1pd Acytex Cast () Prem. Grade B1701 corresponding 30 1pd Acytex Cast () Prem. Grade B1701 corresponding 30 1pd Acytex Cast () Prem. Grade B1701 corresponding 31 1pd Acytex Cast () Prem. Grade B1701 corresponding 31 1pd Acytex Cast () Preme B1705 Statements of 31 1pd Acytex Cast () Preme B1705 statements of 31 1pd Acytex Cast () Preme B1705 statements of 32 1pd Acytex Cast () Preme B1705 statements of 33 1pd Acytex Cast () Preme B1705 statements of 33 1pd Acytex Cast () Preme B1705 statements of 33 1pd Acytex Cast () Preme B1705 statements of 33 1pc A10 Adm Casm () Cast () Ca			Spe cific ation
35 2pc T4° Cut-off Disc for steel (profile) performance 37 1pc 2° ox A 0m C steel A performance 38 pa Acydex Cast () Pene. Grade) B1711 ga Acydex Penet Disc for steel A performance 39 1pd Acydex Penet Disc for steel A ga Parameter of the equipment differed. 39 1pd Acydex Penet Disc for steel A ga Parameter of the equipment differed. 39 1pd Acydex Penet Disc for steel A ga Parameter of the A 39 1pd Acydex Penet Disc for steel A ga Parameter of the A 39 1pd Acydex Penet Disc for steel A ga Parameter of the A 39 1pd Acydex Penet Disc for steel A ga Parameter of the A 39 1pd Acydex Penet Disc for steel A ga Parameter O 41 1pd Acydex Penet Disc for steel A ga Parameter O 42 1pd Acydex Penet Disc for AA ga Parameter O 43 1pd Acydex Penet Disc for AA ga Parameter O 44 1pd Acydex Penet Disc for AA ga Parameter O 45 1pd Acydex Penet Disc for AA ga Parameter O 46 1pd Acydex Penet Disc for AA ga Parameter O 50 1pd Acydex Penet Disc for AA ga P			stating the
35 2 pc 14 0 Cut-off Disc of Stell performance ⁻ 36 4 pc 4° 0 Ginding Disc for Stell performance ⁻ 37 1 pc 2° x 4 0m G 1Pipe, Sch. 40 equipment offered. 38 1 pd Acrylex Pirme B1705 equipment offered. 30 1 pd Acrylex Pirme B1705 "Comply" or "Not 41 1 pd Stamel Paint B000 "Comply" or "Not 42 49 FIA Latex Paint exitamel Paint B000 evidence in a 43 1 pd Namel Paint B000 evidence Evidence in a 44 8 pd Acrylex Pirmer B1705 evidence Evidence exits and 46 8 pd Acrylex Adde B30 evidence in a Builders Bid and 47 1 pd Non Sag Expoy Ad8 Bodders Bid and cross-reference d10 48 8 pd Acrylex Mill Body Filter in the form of manufacturer's un- 49 9 pd Paint Thinner anemeded sales statements of 15 50 9 pd Paint Bush 2" statements of statements of 15 51 pc 730 SAnd Paper unconditional statements of 15 51 pc 740 Sand Paper statements of 15 51 pc 74			corresponding
30 10,210 Childing Use, Usten parameter of the 31 10,224 x 0.00 G. Pipe, Sch. 40 galphaceter 38 Bgal Actytex Cast () Prem. Gradb B711 Statements of 31 13 gal Actytex Prime 1715 () Top Coal) Statements of 34 15 gal Fall Latex Paint Statement of the 34 13 gal Fall Latex Paint Supported by 34 13 gal Fall Latex Paint Supported by 35 13 gal Fall Latex Paint Supported by 36 13 gal Fall Latex Paint Supported by 36 13 gal Fall Thiner Bidders Bid and 36 13 gal Fall Thiner Evidence shall be 37 15 pc #30 Sand Paper Iiterature, 38 15 pc #30 Sand Paper Iiterature, 39 15 pc #30 Sand Paper Iiterature, 39 15 pc #30 Sand Paper Iiterature, 39 13 pal Active Thing Color (Hansa Yellow) Tamuéted sales 315 pc #30 Sand Paper Iiterature, Iiterature, 315 pc #30 Sand Paper Iiterature, Iiterature, 310 pc Nain Floor - 0.4m x 0.4m Ceramic Clazed Tiles manufacturer;<			· ·
a) b) b) cquipment offered. a) b) cquipment offered. a) t) cquipment offered. a) tip cquipment offered. a) tip cquipment offered. a) tip cquipment offered. a) tip cquipment offered. t) tip <t< td=""><td></td><td></td><td></td></t<>			
39 11 gal Acrylex Piner B105 Statements of 40 11 gal Seni Gloss Acrylex paint B1715 (Top Coal) "Comply" or "Not 15 gal Fal Wal Ename Plasola Supported by evidence in a 14 8 gal Metal Piner Red Oxide B310 Bidders Bid and 15 gal Fal Wal Ename Red Oxide B310 Bidders Bid and Bidders Bid and 16 8 gal Oxick DV Enamel B600 cross-reference d to 17 8 gal Acrylex Reducer Bidders Bid and Evidence shall be 16 8 gal Acrylex Reducer Bidders Bid and Evidence shall be 15 gal Acrylex Reducer Bidders Bid and Bidders Bid and 16 9 gal Paint Thinner Evidence shall be In the form of 15 pc 30 Sand Paper Intermets of Statements of 15 pc 30 Sand Paper Intermets of Specification and 16 pc Paint Bush 3" specification and Specification and 17 pc Paint Bush 3" specification and statements of 18 130 pC Main Floor - 0 Am X 0 Am Ceramic Glozed Tiles manufacturer, 18 30 pc C R. Floor - 0 Am X 0 Am Ceramic Glozed Tiles manufa			· ·
4011gal Fait Latex PaintB1715 (Top Coat)"Comply" or "Not415 gal Fait Latex PaintB800Comply" must be424 gal Fait Latex PaintSupported by431 gal Enamel Pasolux Pullyevidence in a448 gal Metal Primer Red Oxide B310Bidders Bid and451 gal Non Sag Epoy A&Bcross-referenced to468 gal Oxide Dy Finamel B600cross-referenced to478 gal Actylex REducerbidders Bid and486 gal Paint ThinnerEvidence shall be493 gal Polituff Body Filleramended sales1115 pc #120 Sand Paperamended sales15 pc #120 Sand Paperamended s			
41 5 gal Flat Wall Ename (Paint B800 Comply," must be 42 4 gal Flat Latex Plaint supported by 43 1 gal Formel Pasolux Puty evidence in a 44 8 gal Metal Primer Red Oxide B310 Bidders Bid and 45 8 gal Oxide Dy Enmel B600 that evidence. 46 8 gal Oxide Nors age Epoxy ABB cross-reference d to 47 8 gal Applex Refucer that evidence. 48 6 gal Paint Thinmer in the form of 49 3 gal Polituf Body Filler manufacturer's un- 51 5p ef30 Sand Paper literature, 51 5p ef30 Sand Paper literature, 51 5p ef30 Sand Paper unconditional 53 5p CPaint Bush 2° specefication and 54 5p CPaint Bush 3° specification and 55 3p C Carlin Bush 3° specification and 56 5p C Rink 0.3m x 0.4m Ceramic Glazed Tiles manufacturer, 50 3p C Rink 0.3m x 0.4m Ceramic Glazed Tiles independent test 51 5p c Yor Pinh Complex Setification statement that is 52 5p C Yin Pinh<			
42 4 gal Falt Latex Plant supported by 43 1 gal Email Passitux Putty evidence in a 44 8 gal Metal Primer Red Oxide B310 Bidders Bid and 45 1 gal Kamel Passitux Putty evidence in a 46 8 gal Oxidx Dy Estamel B600 that evidence. 47 8 gal Adytex Reducer Evidence shall be 48 gal Palituff Body Filler that evidence. 49 3 gal Palituff Body Filler manufacturer's un- amended sales 21 5p c #80 Sand Paper unconditional 21 5p c #80 Sand Paper unconditional 23 b p C Paint Bush 3* satements of 39 b p C Paint Bush 3* satements of 39 b p C R Floor - 0.4m x 0.4m Ceramic Glazed Tiles samples, 30 c C R Floor - 0.4m x 0.4m Ceramic Glazed Tiles samples, 30 p C Adar Microban (Zkgfbag) data etc., as 32 p S P K * 0 Sant 0.3m x 0.3m Ceramic Glazed Tiles samples, 30 p C K * C Floor - 0.4m x 0.4m Ceramic Glazed Tiles samples, 30 c C K * C Floor Dain satement that is 32			- ·
43 1 gal Enamel Pasolux Putly evidence in a 44 8 gal Mela Phimer Red Oxide B310 Bilders Bid and 45 1 gal Non Sag Epoxy A8B cross-reference I to 46 8 gal Acytex REducer bilders Bid and 47 9 gal Acytex REducer Evidence shall be 48 9 gal Payoty REducer Evidence shall be 49 9 gal Payoty REducer Evidence shall be 49 9 gal Payoty REducer Evidence shall be 49 9 gal Payoty REducer Evidence shall be 50 8 can Acrytex Tinting Color (Hansa Yellow) manufacturer's un- 51 5p #36 SAnd Paper literature, 53 5p cPath Brush 2" specification and 54 9 cp Path Brush 2" specification and 55 3p cPath Brush 3" specification and 58 9 cp Path Brush 3" specification and 59 59 cp Cantl Brush 3" specification and 50 5p c Can Floor - 0 4m x 0.4m Ceramic Glazed Tiles manufacturer, 50 5p c C R Floor - 0 4m x 0.4m Ceramic Glazed Tiles manufacturer, 50 5p c V or Drain <td></td> <td>5</td> <td></td>		5	
44 B gal Metal Primer Red Oxide B310 Bilders Bid and 45 1 gal Non Sag Epoxy A&B cross-referenced to 46 8 gal Quick Dry Enamel B600 that evidence. 47 8 gal Acrylex Reducer Evidence shall be 46 9 gal Paint Thinner Evidence shall be 47 8 gal Acrylex Reducer's un-amended sales In the form of 48 9 gal Paint Thinner manufacturer's un-amended sales 51 5p x 80 Sand Paper Iiterature, 51 5p x 80 Sand Paper Iiterature, 53 5p c Paint Rush 2* Specification and 54 6 pC Paint Rush 3* specification and 57 5p x 80 Sand Paper Iiterature, 51 5p x 80 Sand Paper Iiterature, 53 specification and specification and 59 pc Paint Bush 3* Specification and X and Cramic Glazed Tiles samples, 61 30 pc CR. Floor - 0.4m x 0.4m Ceramic Glazed Tiles samples, independent test 63 32 pc EN Hor Or Drain Glazed Tiles samples, independent test 63 32 pc 40 PVC Cex, ISO			
45 1 gal Non Sag Epoxy A&B Initiality Staff and 46 8 gal Oxitk Dry Enamel B600 rhat evidence. 47 8 gal Arytex REducer Init in finner 48 6 gal Paint Thinner Evidence shall be 49 9 gal Paint Dilutif Body Filer In the form of 50 8 can Acrytex Thing Color (Hansa Yellow) manufacturer's un- amended sales 51 5p c #30 Sand Paper literature, 51 5p c #30 Sand Paper unconditional 53 5p c Paint Brush 2" specification and 56 9p c Paint Brush 3" specification and 57 3p C Paint Brush 3" specification and 58 3p C Paint Brush 3" specification and 59 3p C C R. Floor - 0 4m x 0.4m Ceramic Glazed Tiles manufacturer, 50 3p C C R. Floor - 0 4m x 0.4m Ceramic Glazed Tiles independent test 61 2p c G* 6 C R. Floor - 0 4m x 0.4m Ceramic Glazed Tiles independent test 62 2p c G* 6 Putty Knile statement that is 7 2p G* 6 Y C Norban comprised Staff and 7 2p c G* 6 Putty Knile statement that is <			evidence in a
46 8 gal Quick Dy Enamel B600 Choss-referenced allo 78 gal Apylex Réducer Evidence shall be 48 6 gal Paint Thinner Evidence shall be 49 3 gal Polituff Body Filler in the form of 49 3 gal Polituff Body Filler in the form of 51 15 pc #120 Sand Paper interaturer,			Bidders Bid and
478 gal Acrytex Ředucerthat evidence.486 gal Paint ThinnerEvidence e shall be493 gal Politufi Body Fillerin the form of508 can Acrytex Tinting Color (Hansa Yellow)manufacturer's un-515p c #120 Sand Paperin the form of515p c #120 Sand Paperinterature,5315 pc #30 Sand Paperunc onditional646p C Paint Roller 6' w(tray & extra foamstatements of533p C Paint Brush 2'specification and699p C Paint Brush 3'specification and769p C Paint Brush 3'specification and788p C Putty Knifemanufacturer,7930 pc C.R. Floor - 0.4m x 0.4m Ceramic Glazed Tilessamples,706p C C.R. Floor - 0.4m x 0.4m Ceramic Glazed Tilessamples,718p C Putty Knifesamples,729p C Ten 2hanSet induce Isavalory, faucel, P-Trap & other Acc.)appropriate. A742p C 4''s PVC Cupylingstatement that is752p C 4''s PVC Ten 2hstatement that is762p C 4''s PVC Cupylingsubsequently found762p C 4''s A''s Complete Set includes lavalory, faucel, P-Trap & other Acc.)appropriate. A762p C 4''s PVC Cupylingsubsequently found762p C 4''s PVC Ten 2hosubsequently found772p C 4''s A''s Cupyling and Sealing Ring, ISOsubsequently found783p C 2''s OP'C Teered793p C 2''s A''s X''s X''s X''s X''s X''s X''s X			cross-referenced to
48 6 gal Paint Thinner Evidence shall be 49 3 gal Polluff Body Filler in the form of 50 8 can Acrytex Tinting Color (Hansa Yellow) manufacturer's unamended sales 51 15 pc.#120 Sand Paper ilterature, 51 55 pc.#30 SAnd Paper ilterature, 53 50 pc Paint Brush 2" specification and 54 50 pc Paint Brush 3" specification and 55 9 pc Paint Brush 3" specification and 54 30 pc C.R. Floor - 0.4m x 0.4m Ceramic Glazed Tiles by the 51 30 pc C.R. Floor - 0.4m x 0.4m Ceramic Glazed Tiles samples, 51 30 pc C.R. Floor - 0.4m x 0.4m Ceramic Glazed Tiles independent test 64 2 pc 6" x 6" Floor Drain sattement sof sppropriate. A 52 pc Sink - 0.3m x 0.3m Ceramic Glazed Tiles independent test data etc., as 63 3 pc Put Well Cosel (Couplete Set includes lavatory, faucel, P-Trap & other Acc.) appropriate. A statement that is 64 2 pc 4"a PVC Tee, ISO not supported by evidence or is subsequently found 67 2 pc 4"a PVC Tee, ISO prosense presented will<			that evidence.
10Ogen Lattinuein the form of3 gal Pollut/I Body Fillerin the form of508 can Acrytex Tinting Color (Hansa Yellow)manufacturer's un-15pc #120 Sand Paperinterature,2515 pc #30 Sand Paperliterature,3115 pc #30 Sand Paperunc onditional46 pc Paint Roller 6' witray & extra foamstatements of553 pc Paint Brush 2'specification and609 pc Paint Brush 3'specification and708 pc Putty Knifemanufacturer,809 pc Paint Brush 3'specification and718 pc Putty Knifemanufacturer,729 pc Paint Brush 3'specification and739 pc Paint Rush 3'manufacturer,749 pc Paint Brush 3'specification and758 pc Putty Knifemanufacturer,768 pc C.R. Floor - 0.4m x 0.4m Ceramic Glazed Tilessamples,768 pc Sitk - 0.3m x 0.3m Ceramic Glazed Tilessamples,778 pc Sitk - 0.3m x 0.3m Ceramic Glazed Tilessatement est of788 pc Yet Piro Painstatement has tatement that is797070 pc Clean Out W Microban (2kg/bag)statement has tatement that is7872 pc 4'o PVC Clean Out W Plug and Sealing Ring, ISOsubsequently found7972 pc 4'o PVC Teesoft as x and yet PVC Pipe7074 pc X'o x 3m PVC Pipe S-1000under evaluation7174 pc X'o x 3m PVC Pipe S-1000under evaluation7374 pc X'o			Evidence shall be
508 can Acrytex Tinling Color (Hansa Yellow)manufacturer's unameded sales5115 pc #120 Sand Paperunconditional5215 pc #30 Sand Paperunconditional5315 pc #30 Sand Paperunconditional546 pc Paint Roller 6" wl tray & extra foamstatements of539 pc Paint Brush 3"specification and549 pc Paint Brush 3"specification and559 pc Paint Brush 3"specification and569 pc Paint Brush 3"compliance issued58130 pc Main Floor - 0.6m x 0.6m Ceramic Glazed Tilesby the5930 pc C.R. Floor - 0.4m x 0.4m Ceramic Glazed Tilessamples,6125 pc Sink - 0.3m x 0.3m ceramic Glazed Tilesindependent test628 bag Tile Grout wl Microban (2kg/bag)attement tasis632 pc 4"o PVC Cels (Complete Set includes lavatory, faucet,P-Trap & other Acc.)appropriate. A642 pc 4"o PVC Cels, ISOstatement that is652 pc 4"o PVC Cels, ISOevidence or is662 pc 4"o PVC Cels, ISOsubsequently found672 pc 4"o PVC Celsstatement that is682 pc 4"o PVC Celspresented will793 pc 2"o 9VC Teerender the Bid703 pc 2"o 9VC Teeattement teither713 pc 2"o 9V bend PVC Elbowinder evaluation744 pc ½"a x 3.0m uPVC PipeAstement either754 pc ½"a x 3.0m uPVC PipeAstement teither764 pc ½"a x 3.0m uPVC Pipestatement of			
5115 pc #120 Sand Paperamended sales5215 pc #30 S And Paperliterature,5315 pc #30 S and Paperunconditional546 pc Paint Roller 6' wi tray & extra foamstatements of553 pc Paint Brush 2'specification and569 pc Paint Brush 2'specification and573 pc C R. Floor - 0.6m x 0.6m Ceramic Glazed Tilescompliance issued58130 pc Main Floor - 0.6m x 0.4m Ceramic Glazed Tilesmanufacturer,5930 pc C. R. Floor - 0.4m x 0.4m Ceramic Glazed Tilesindependent test6065 pc C. R. Floor - 0.4m x 0.4m Ceramic Glazed Tilesindependent test6120 pc %in 0.3m x 0.3m Ceramic Glazed Tilesindependent test628 bag Tile Grout wi Microban (2kg/bag)data etc., as632 pc 4's 0 PVC Torainstatement that is642 pc 4's 0 PVC Tee, ISOnot supported by672 pc 4's 0 PVC Clean Out willing Ring, ISOsubsequentily found682 pc 4's 0 PVC Tee, ISOvidence or is713 pc 2's 00° bend PVC Elbowpresented will723 pc 2's 0 Sure Properrender the Bid733 pc 2's x 3m PVC Pipe S-1000under evaluation743 pc 5's ouPVC Clewresented will753 pc Y's ouPVC Elbowstatement either765 pc Y's ouPVC Pipestatement of774 pc Y's a 30m UPC Pipestatement of765 pc Y's ouPVC Pipestatement of774 pc Y's a WC Pipe, Hick Wallevide			
5215 pc #36 SAnd Paperliterature,5315 pc #30 Sand Paperunconditional546 pc Paint Rolls 6 * w Itay & extra foamstatements of553 pc Paint Rush 2"specification and569 pc Paint Bush 3"specification and579 pc Paint Bush 3"specification and589 pc Putly Knifeby the5930 pc C. R. Floor - 0.4m x 0.4m Ceramic Glazed Tilesmanufacturer,505950 pc C. R. Floor - 0.4m x 0.4m Ceramic Glazed Tilesmanufacturer,5125 pc Sink - 0.3m x 0.3m Ceramic Glazed Tilessamples,5225 pt Glave Closel (Complete Set includes lavatory, faucet, P-Trap & other Acc.)appropriate. A542 pc 4"a PVC Use, ISOstatement that is559 pc C 4"a PVC Tee, ISOevidence or is569 pc 4"a PVC Celoan Out W/ Plug and Sealing Ring, ISOsubsequently found572 pc 4"a PVC Celean Out W/ Plug and Sealing Ring, ISOby the evidence763 pc 2"a 90° bend PVC Elbowpresented will773 pc 2"a 90° bend PVC Elbowpresented will783 pc 2"a 90° bend PVC Elbowstatement either793 pc 2"a 90° uPVC Dipe S-1000liable for rejection.764 pc % a 3m PVC Pipe S-1000statement either789 pc %"a uPVC Slowfoand to be faise791 pc %"a uPVC Elbowstatement either791 pc %"a uPVC Elbowstatement either792 pc %"a w 3m, PVC Pipe S-1000liable for rejection. <t< td=""><td></td><td></td><td>•</td></t<>			•
5315pc #80 Sand Paperunc onditional546 pc Paint Ruler 6' w/ tray & extra foamstatements of539 pc Paint Brush 2''specification and569 pc Paint Brush 2''compliance issued578 pc Putty Knifeby the5830 pc Main Floor - 0.4m x 0.4m Ceramic Glazed Tilesby the5930 pc C.R. Floor - 0.4m x 0.4m Ceramic Glazed Tilesmanufacturer,5065 pc C.R. Floor - 0.4m x 0.4m Ceramic Glazed Tilesindependent test5125 pc Sink - 0.3m x 0.3m Ceramic Glazed Tilesindependent test5225 pc Sink - 0.3m x 0.3m Ceramic Glazed Tilesindependent test5325 pc Sink - 0.3m x 0.3m Ceramic Glazed Tilesindependent test548 bag Tile Grout W Microban (2 kg/bag)data etc., as5525 pc Vis Coeptingstatement test562p c4 'a PVC Cupel [SOnot supported by572p c4 'a PVC Clean Out w/ Pug and Sealing Ring, ISOto be contradicted582p c4 'a PVC Clean Out w/ Pug and Sealing Ring, ISOto be contradicted792p c4 'a v X 2'a PVC Teepresented will733p c2'a v 3m PVC Pipe S-1000under evaluation743p c2'a v 3m PVC Pipe S-1000under evaluation753p c 'a v 3m PVC Pipe S-1000statement of794p ck 'a vage Value Brasscompliance or the794p ck 'a vage Value Brasscompliance or the794p ck 'a our VC Pipefound to be false791p ck 'a vage Kite Valuefoun			
546 pc Paint Roller 6" w/ tray & extra foamInterments of553 pc Paint Bush 2"specification and579 pc Paint Bush 3"specification and58130 pc Main Floor - 0.6m x 0.6m Ceramic Glazed Tilesmanufacturer,5930 pc C. R. Floor - 0.4m x 0.4m Ceramic Glazed Tilesmanufacturer,6065 pc C. R. Floor - 0.4m x 0.4m Ceramic Glazed Tilesmanufacturer,6125 pc Sink - 0.3m x 0.3m Ceramic Glazed Tilesindependent test628 bag Tile Grout Windroban (2kgbag)data etc., as632 set Water Closet (Complete Set includes lavatory, faucet, P-Trap & other Acc.)appropriate. A642 pc 6" x 6" Floor Drainstatement that is652 pc 4" o PVC Cee, ISOstatement that is662 pc 4" o PVC Cee, ISOsubsequently found672 pc 4" o PVC Cee, ISOsubsequently found682 pc 4" o PVC Ceepredicted will793 pc 2" o 90" bend PVC Elbowpresented will703 pc 2" o 9VC Teerender the Bid713 pc 2" o ax 3m PVC Pipe S-1000under evaluation744 pc %" o x 3.0m uPVC PipeA statement of765 pc %" o uPVC Elbowstatement of774 pc %" o x 3.0m uPVC PipeA statement of784 pc %" o x 3.0m uPVC PipeStatement of794 pc %" o uPVC Elbowstatement of794 pc %" o x 3.0m uPVC Pipestatement of702 pc %" o uPVC Elbowstatement of794 pc %" o x 3m, PSC Pi			,
553 pc Paint Brush 2"Statement style569 pc Paint Brush 3"specification and compliance issued58130 pc Main Floor - 0.6m x 0.6m Ceramic Glazed Tilesby the5930 pc C. R. Floor - 0.4m x 0.4m Ceramic Glazed Tilesmanufacturer, samples,6125 pc Sink - 0.3m x 0.3m Ceramic Glazed Tilesindependent test628 bag Tile Grout w Microban (2kg/bag)data etc., as632 pc 6" x 6" Floor Drainappropriate. A642 pc 6" x 6" Floor Drainstatement that is65pc 4" o PVC Couplingevidence or is662 pc 4" o PVC Clean Out w/ Plug and Selling Ring, ISOsubsequently found702 pc 4" o PVC Clean Out w/ Plug and Selling Ring, ISOsubsequently found713 pc 2" o PVC Teepres-1000723 pc 4" ox 3.0m uPVC Pipe S-1000under evaluation743 pc 2" o a 3m PVC Pipe S-1000liable for rejection.754 pc 5" ou PVC Elbowstatement of765 pc 5" ou PVC TeeA statement of771 pc 5" ou PVC Blue FemaleThreaded Adaptorstatement of765 pc 5" ou PVC Sloventsubsequent of769 pc 5' circuit Jage 3"spc 1" apporting771 pc 3" os 2" of X N SN, Nipple RSCsubsequent of781 pc 4" os X", Nipple RSCevaluation of the792 pc 4" os X", Nipple RSCevaluation of the			
569 pc Paint Brush 3*spectification and compliance issued578 pc Putty Knifecompliance issued58130 pc C.R. Floor - 0.4m x 0.4m Ceramic Glazed Tilesmanufacturer, samples,6065 pc C.R. Floor - 0.4m x 0.4m Ceramic Glazed Tilessamples,6125 pc Sink - 0.3m x 0.3m Ceramic Glazed Tilesindependent test628 bag Tile Grout w/ Microban (2kg/bag)data etc., as632 pc 6* x 6* Floor Torainstatement that is642 pc 6* x 6* Floor Torainstatement that is656 pc 4*0 PVC Tee, ISOevidence or is662 pc 4*0 PVC Tee, ISOevidence or is672 pc 4*0 PVC Tee, ISOsubsequently found682 pc 4*0 PVC Tee, ISOevidence or is692 pc 4*0 PVC Tee Reducer, ISOsubsequently found692 pc 4*0 PVC Tee Reducer, ISOpresented will702 pc 4*0 PVC Tee Reducer, ISOpresented will713 pc 2*0 90° bend PVC Elbowpresented will723 pc 2*0 90° bend PVC Elbowpresented will734 pc 4*0 x 2*0 PVC Teeliable for rejection.744 pc 5*0 x 3*0m uPVC PipeA statement either754 pc 5*0 x 3*0m uPVC Pipestatement either765 pc 5*0 uPVC Blowstatement either771 pc 5*0 sym. RC Pipe, Ithic Wallfound to be false765 pc 5*0 sym. RC Pipe, Ithic Wallfound to be false769 pc 5*0 sym. RC Pipe, Ithic Wallfound to be false771 pc 3*0 sy			
578 pc Putty Knifecompliance issued58130 pc CMain Floor - 0.4m x 0.4m Ceramic Glazed Tilesby the90pc C.R. Floor - 0.4m x 0.4m Ceramic Glazed Tilessamples,6125 pc Sink - 0.3m x 0.3m Ceramic Glazed tilesindependent test628 bag Tile Grout W Microban (2kg/bag)data etc., as632 set Water Closet (Complete Set includes lavatory, faucet, P-Trap & other Acc.)appropriate. A642 pc 6" x 6" Floor Drainstatement that is656 pc 4" o PVC Wye, ISOnot supported by662 pc 4" o PVC Couplingevidence or is702 pc 4" o PVC Couplingstatement that is713 pc 2" o 9VC Creap WI Pug and Sealing Ring, ISOsubsequently found729 pc 4" o PVC Clean Out w/ Pug and Sealing Ring, ISOby the evidence733 pc 2" o 9VC Tee Reducer, ISOpresented will743 pc 2" o 9VC Tee Reducer, ISOunder evaluation754 pc 4" o x 3.0m uPVC Pipe S-1000under evaluation765 pc 4" o uPVC TeeA statement either711 pc 4" o uPVC Bibowstatement of754 pc 4" o uPVC Bibowstatement of763 pc 4" o VPC Pipe S-1000under evaluation774 pc 4" o uPVC Bibowstatement of784 pc 4" o uPVC Bibowstatement of794 pc 4" o uPVC Bibowstatement of705 pc 4" o uPVC Fibesubsequently found715 pc 4" o uPVC Fibesubsequently found727 o uPVC Tee			
58130 pc Main Floor - 0.6m x 0.6m Ceramic Glazed Tilesby the5930 pc C.R. Floor - 0.4m x 0.4m Ceramic Unglazed Tilesmanufacturer,6065 pc C.R. Floor - 0.4m x 0.4m Ceramic Glazed Tilesindependent test6125 pc Sink - 0.3m x 0.3m Ceramic Glazed tilesindependent test628 bag Tile Grout W Microban (2ky/bag)data etc., as632 set Water Closet (Complete Set includes lavalory, faucet, P-Trap & other Acc.)appropriate. A642 pc 6" x 6" Floor Drainstatement that is656 pc 4"o PVC We, ISOnot supported by662 pc 4"o PVC Ceuplingevidence or is672 pc 4"o PVC Ceuplingsubsequently found682 pc 4"o PVC CEuplingsubsequently found692 pc 4"o PVC Ceuplingsubsequently found692 pc 4"o PVC CEUP Terap w/Plug and Selling Ring, ISOby the evidence702 pc 4"o PVC Tee Reducer, ISOpresented will713 pc 2"o 90" bend PVC Elbowpresented will729 pc 4"o XVC Tee Reducer, ISOunder evaluation734 pc 4"o x 3m, PVC Pipe S-1000under evaluation749 pc 4"o x 4"o XVC Teefound to be contracted754 pc 4"o a VVC Elbowsupporting765 pc 4"o a VVC Teefound to be false774 pc 4"o x 30m uPVC Pipesupporting784 pc 4"o a VPC Elbowsupporting794 pc 4"o a Service Entrance Capevidence rither711 pc 4"o a VPC Elbowfound to be false <tr< td=""><td></td><td></td><td>-</td></tr<>			-
5930 pc C.R. Floor - 0.4m x 0.4m Ceramic Unglazed Tilesmanufacturer,6065 pc C.R. Floor - 0.4m x 0.4m Ceramic Glazed Tilessamples,6125 pc Sink - 0.3m x 0.3m Ceramic Glazed Tilesindependent test628 bag Tile Grout w/ Microban (2kg/bag)data etc., as632 set Water Closet (Complete Set includes lavatory, faucet, P-Trap & other Acc.)appropriate. A642 pc 6''s 6' Floor Drainstatement that is656 pc 4''s PVC Wye, ISOot supported by662 pc 4''s PVC Couplingevidence or is672 pc 4''s PVC Couplingsubsequently found682 pc 4''s PVC Clean Out w/ Plug and Sealing Ring, ISOto be contradicted702 pc 4''s 2''s PVC Tee, Reducer, ISOby the evidence713 pc 2''s 0''s 0''s 0''s 0''s 0''s 0''s 0''s	5		
6065 pc C.R. Floor - 0.4m x 0.4m Ceramic Glazed Tilessamples,6125 pc Sink - 0.3m x 0.3m Ceramic Glazed Tilesindependent test628 bag Tile Grout W/ Microban (2kg/bag)data etc., as632 set Water Closet (Complete Set includes lavatory, faucet, P-Trap & other Acc.)appropriate. A642 pc 6" x 6" Floor Drainstatement that is656 pc 4"o PVC Tee, ISOnot supported by662 pc 4"o PVC Couplingevidence or is672 pc 4"o PVC Clean Out w/ Plug and Selling Ring, ISOsubsequently found692 pc 4"o PVC Couplingto be contradicted692 pc 4"o PVC Tee, RSOby the evidence702 pc 4"o PVC Tee Reducer, ISOsubsequently found712 pc 4"o x 2" o PVC Tee Reducer, ISOby the evidence723 pc 2"o PVC Teepresented will733 pc 2"o PVC Teerender the Bid744 pc 5"a x 3m, PVC Pipe S-1000under evaluation754 pc 5"a x 3m, PVC Pipe S-1000liable for rejection.765 pc 5"a uPVC Blowstatement either771 pc 5"a vas m PVC Pipestatement of784 pc 5"a vas m, PVC Blowstatement of794 pc 5"ange Vande Clavel Completecompliance or the803 pc Teflon Tape %"supporting811 ngth %"a vas, RSC Pipe, thick Wallevidence821 pc %"a Service Entrance Capevidance841 pc %"a Service Entrance Capevidancion, post-851 pc %"a vas", N	5		manufacturer,
628 bag Tile Grout W/ Microban (2kg/bag)data etc., as632 set Water Closet (Complete Set includes lavatory, faucet, P-Trap & other Acc.)appropriate. A642 pc 6" x 6" Floor Drainstatement that is656 pc 4"o PVC Wye, ISOstatement that is662 pc 4"o PVC Tee, ISOevidence or is672 pc 4"o PVC Clean Out W/ Plug and Selling Ring, ISOsubsequently found682 pc 4"o PVC Cean Out W/ Plug and Sealing Ring, ISOsubsequently found702 pc 4"o x 2"o PVC Tee Reducer, ISOby the evidence713 pc 2"o 90° bend PVC Elbowpresented will723 pc 2"o 90° bend PVC Elbowpresented will734 pc 3"o x 3m, PVC Pipe S-1000under evaluation744 pc 3"o x 3m UPVC PipeA statement either765 pc 3"o w VC Cleein the Bidder's771 pc 3"o x 3m UPVC PipeA statement of784 pc 3"o x 3m, RSC Pipe, thick Wallfound to be false811 ngth 3"o x 3m, RSC Pipe, thick Wallfound to be false8210 mtr 38"o Circular Loomfound to be false831 ngth 3"o x 3m, RSC Pipe, thick Wallevidence that is841 pc 3"o x 3m, RSC Pipe, thick Wallevaluation, post-851 pc 3"o x 3m, RSC Pipe, thick Wallevaluation, post-862 pc 4"o x 3", Nipple RSCevaluation or the872 lingth ½"o x 3m, Electrical uPVCevaluation or the	6) 65 pc C.R. Floor - 0.4m x 0.4m Ceramic Glazed Tiles	samples,
628 bag Tile Grout w/ Microban (2kg/bag)data etc., as632 set Water Closet (Complete Set includes lavatory, faucet, P-Trap & other Acc.)appropriate. A642 pc 6" x 6" Floor Drainstatement that is656 pc 4" ø PVC Wye, ISOnot supported by662 pc 4" o PVC Tee, ISOevidence or is672 pc 4" o PVC Couplingsubsequently found682 pc 4" o PVC Cee an Out w/ Plug and Sealing Ring, ISOsubsequently found692 pc 4" o PVC Cee Reducer, ISOto be contradicted702 pc 4" o PVC Tee Reducer, ISOby the evidence713 pc 2" ø 90" bend PVC Elbowpresented will723 pc 2" o gvC Teerender the Bid734 pc %" x 3.0m uPVC Pipe S-1000under evaluation743 pc 2" o a x 3.0m uPVC PipeA statement either754 pc %" o uPVC Teein the Bidder's763 pc %" o uPVC Elbowstatement of774 pc %" o uPVC Blowstatement of784 pc %" o uPVC Blowsupporting784 pc %" o uPVC Blowsupporting794 pc %" o uPVC Blowstatement of794 pc %" o uPVC Solventsupporting812 can PVC Solventsupporting8210 mtr 38" o Circular Loomfound to be false	6		independent test
632 set Water Closel (Complete Set includes lavatory, faucet, P-Trap & other Acc.)appropriate. A642 pc 6" x 6" Floor Drainstatement that is656 pc 4"o PVC Wey, ISOnot supported by672 pc 4"o PVC Tee, ISOevidence or is682 pc 4"o PVC Clean Out w/ Plug and Selling Ring, ISOsubsequently found692 pc 4"o PVC Tee Reducer, ISOto be contradicted702 pc 4"o Z 0 PVC Tee Reducer, ISOpresented will713 pc 2"o 90° bend PVC Elbowpresented will723 pc 2"o 9VC Teerender the Bid734 pcs 4"o x 3m, PVC Pipe S-1000under evaluation743 pc 2"o x 3m PVC Pipe S-1000liable for rejection.754 pc 4"o x 20° EVC TeeA statement either765 pc 4"o VPC Teenot be contradicted771 pc 4"o x 20° EVC TeeStatement of784 pc 4"o x 20° Evalstatement of794 pc 4"o x 20° Evalstatement of794 pc 4"o x 20° Evalstatement of794 pc 4"o x 3m, RSC Pipe, thick Wallsupporting811 pc 3"o service Entrance Capsupporting Bid831 pc 3"o x 3m, RSC Pipe, thick Wallevaluation, post-841 pc 3"o X 3m, RSC Pipe, thick Wallevaluation, or the851 pc 3"o X 3m, RSC Pipe, thick Wallevaluation, post-863 pc 3" box 3", Nipple RSCsupporting8722 lngth ½"o x 3m Electrical uPVCevaluation or the	6		<u>^</u>
642 pc 6" x 6" Floor Drainstatement that is656 pc 4"ø PVC Wye, ISOnot supported by62pc 4"ø PVC Couplingevidence or is682 pc 4"ø PVC Clean Out w/ Plug and Selling Ring, ISOsubsequently found692 pc 4"ø PVC Tee, ISOto be contradicted702 pc 4"ø PVC Tee Reducer, ISOby the evidence713 pc 2"ø 90" bend PVC Elbowpresented will723 pc 2"ø 90" bend PVC Elbowpresented will734 pc 4"ø x 3m, PVC Pipe S-1000under evaluation743 pc 2"ø x 3m, PVC Pipe S-1000liable for rejection.754 pc %"a x 3m, PVC Pipe S-1000liable for rejection.765 pc %"a vPVC TeeA statement either771 pc %"a vPVC Teein the Bidder's784 pc %"a vPVC Elbowstatement of794 pc %"a vPVC Blue FemaleThreaded Adaptorstatement of794 pc %"a vAm, PVC Pipe, thick Wallevidence that is811 omtr 3/8"ø Circular Loomfound to be false831 lngth %"a x3m, RSC Pipe, thick Wallevidence that is841 pc %"a VX", Nipple RSCevaluation, post-851 pc %"a X3m, PVCevaluation or the862 pc %"a X3m, PVCevaluation, post-8722 lngth %"a X3m, Electrical uPVCevaluation or the	6	3 2 set Water Closet (Complete Set includes lavatory, faucet, P-Trap & other Acc.)	
bbsbbsbbsnot supported by662 pc 4"ø PVC Tee, ISOevidence or is672 pc 4"ø PVC Cean Out w/ Plug and Selling Ring, ISOsubsequently found692 pc 4"ø PVC Clean Out w/ Plug and Selling Ring, ISOto be contradicted702 pc 4"ø PVC Tee Reducer, ISOby the evidence713 pc 2"ø 90° bend PVC Elbowpresented will723 pc 2"ø 90° bend PVC Elbowrender the Bid734 pc 5 4"ø x 3m, PVC Pipe S-1000under evaluation743 pc 2"ø x 3m PVC Pipe S-1000liable for rejection.754 pc ½ ø x 3.0m uPVC PipeA statement either765 pc ½"ø uPVC Elbowin the Bidder's771 pc ½"ø uPVC Elbowstatement of784 pc ½ ø v 3.0m uPVC Pipecompliance or the794 pc ½ ø uPVC Elbowstatement of794 pc ½ % and PVC Solventevidence that is811 pc ¼"ø Service Entrance Capevidence that is811 pc ¼"ø Service Entrance Capevaluation, post-831 pc ¼"ø x 3m, RSC Pipe, thick Wallevaluation, post-841 pc ¼"ø x 3m, RSC Pipe, thick Wallevaluation, post-851 pc ¼"ø x 3m, RSC Pipe, thick Wallevaluation, or the862 pc ¼"ø x 3m, RSC Pipe, thick Wallevaluation, or the8722 lngth ½"ø x 3m, RSC Pipe, thick Wallevaluation, or the	6		
1002 pc 4*b PVC files, BD672 pc 4*b PVC Couplingsubsequently found682 pc 4*b PVC Clean Out w/ Plug and Selling Ring, ISOto be contradicted702 pc 4*b X 2*b PVC Tee Reducer, ISOby the evidence713 pc 2*b 90*bend PVC Elbowpresented will723 pc 2*b 90*C Teepresented will734 pc 5*b X 3m, PVC Pipe S-1000under evaluation744 pc 5*b X 3m, PVC Pipe S-1000liable for rejection.754 pc ½*b x 3.0m uPVC PipeA statement either765 pc ½*b uPVC Teea statement of771 pc ½*b uPVC Elbowstatement of784 pc ½*b uPVC Elbowstatement of794 pc ½*b uPVC Elbowstatement of784 pc ½*b uPVC Elbowstatement of794 pc ½*b uPVC Elbowstatement of794 pc ½*b uPVC Elbowstatement of794 pc ½*b uPVC Elbowstatement of792 can PVC Solventsupporting812 can PVC Solventsupporting8210 mtr 3/8*b Circular Loomfound to be false831 lngth ¾*b x 3m, RSC Pipe, thick Wallevidence that is841 pc ¾*b SCqualification or the851 pc ¾*b X 3m, Electrical uPVCevaluation, post-863 pc ¾*b X 3m, Electrical uPVCevaluation or the			
612 pc 4 ''o PVC Clean Out w/ Plug and Selling Ring, ISOsubsequently found622 pc 4 ''o PVC Clean Out w/ Plug and Sealing Ring, ISOto be contradicted692 pc 4 ''o x 2''o PVC Tee Reducer, ISOby the evidence713 pc 2''o ob bend PVC Elbowpresented will723 pc 2''o x 3m, PVC Pipe S-1000under evaluation743 pc 2''o x 3m PVC Pipe S-1000liable for rejection.754 pc ½ ''o x 3m uPVC Pipe S-1000liable for rejection.765 pc ½ ''o uPVC TeeA statement either771 pc ½ ''o uPVC Blueemale Threaded Adaptor784 pc ½ ''o uPVC Blue Female Threaded Adaptorstatement of794 pc ½ ''o uPVC Solventsupporting812 can PVC Solventsupporting821 lingth ¾ ''o x 3m, RSC Pipe, thick Wallfound to be false831 lingth ¾ ''o x 3m, RSC Pipe, thick Wallevaluation, post-841 pc ¼ ''o x xy", Nipple RSCqualification or the8722 lingth ½ ''o x 3m Electrical uPVCevacution of the			
692 pc 4 "ø PVC P-Trap w/ Plug and Sealing Ring, ISOto be contradicted702 pc 4 "ø x 2" ø PVC Tee Reducer, ISOby the evidence713 pc 2 "ø 90° bend PVC Elbowpresented will723 pc 2 "ø PVC Teerender the Bid734 pcs 4 "ø x 3m, PVC Pipe S-1000under evaluation743 pc 2 "ø x 3m PVC Pipe S-1000liable for rejection.754 pc ½ "ø x 3.0m uPVC PipeA statement either765 pc ½ "ø uPVC TeeA statement either771 pc ½ "ø uPVC Elbowstatement of784 pc ½ "ø uPVC Blue Female Threaded Adaptorstatement of794 pc ½ "ø uPVC Blue Female Threaded Adaptorstatement of794 pc ½ "ø uPVC Solventsupporting812 can PVC Solventsupporting821 lngth ¾ "ø x 3m, RSC Pipe, thick Wallevidence Cap831 pc ¾ "ø Service Entrance Capeither during Bid841 pc ¾ "ø x 3m, Electrical uPVCexecution of the8722 lngth ½ "ø x 3m Electrical uPVCexecution of the			
702 pc 4"ø x 2"ø PVC Tee Reducer, ISOby the evidence713 pc 2"ø 90° bend PVC Elbowpresented will723 pc 2"ø PVC Teerender the Bid734 pcs 4"ø x 3m, PVC Pipe S-1000under evaluation743 pc 2"ø x 3m PVC Pipe S-1000liable for rejection.754 pc ½"ø x 3.0m uPVC PipeA statement either765 pc ½"ø uPVC Teein the Bidder's771 pc ½"ø uPVC ElbowA statement either784 pc ½"ø uPVC Elbowstatement of794 pc ½"ø uPVC Elbowstatement of794 pc ½"ø uPVC Blue FemaleThreaded Adaptorstatement of794 pc ½"ø uPVC Blue FemaleThreaded Adaptorstatement of794 pc ½"ø uPVC Blue FemaleThreaded Adaptorevidence that is803 pc Teflon Tape ¾"supporting812 can PVC Solventevidence that is8210 mtr 3/8"ø Circular Loomfound to be false831 lngth ¾"ø x 3m, RSC Pipe, thick Wallevaluation, post-841 pc ¾"ø Service Entrance Capevaluation, post-851 pc ¾"ø x 3m Electrical uPVCexecution of the			1
713 pc 2"ø 90° bend PVC Elbowpresented will723 pc 2"ø PVC Teerender the Bid734 pcs 4"ø x 3m, PVC Pipe S-1000under evaluation743 pc 2"ø x 3m PVC Pipe S-1000liable for rejection.754 pc ½"ø x 3.0m uPVC PipeA statement either765 pc ½"ø uPVC ElbowA statement either771 pc ½"ø uPVC Elbowstatement of784 pc ½"ø uPVC Blue FemaleThreaded Adaptorstatement of794 pc ½"ø uPVC Blue FemaleThreaded Adaptorstatement of794 pc ½"ø uPVC Solventsupporting812 can PVC Solventsupporting8210 mtr 3/8"ø Circular Loomfound to be false831 lngth ¾"ø x 3m, RSC Pipe, thick Wallfound to be false841 pc ¾"ø LV RSCevaluation, post-851 pc ¾"ø x 3m Electrical uPVCexecution of the			
723 pc 2"ø PVC Teerender the Bid734 pcs 4"ø x 3m, PVC Pipe S-1000under evaluation743 pc 2"ø x 3m PVC Pipe S-1000liable for rejection.754 pc ½"ø x 3.0m uPVC Pipeliable for rejection.765 pc ½"ø uPVC TeeA statement either771 pc ½"ø uPVC Elbowstatement of784 pc ½"ø uPVC Blue Female Threaded Adaptorstatement of794 pc ½"ø uPVC Blue Female Threaded Adaptorstatement of794 pc ½"angle Valve Brasscompliance or the803 pc Teflon Tape ¾"supporting812 can PVC Solventevidence that is8210 mtr 3/8"ø Circular Loomfound to be false831 lngth ¾"ø x 3m, RSC Pipe, thick Walleither during Bid841 pc ¾"ø Service Entrance Capevaluation, post-853 pc ¾"ø x v3", Nipple RSCqualification or the8722 lngth ½"ø x 3m Electrical uPVCexecution of the			•
734 pcs 4"ø x 3m, PVC Pipe S-1000under evaluation743 pc 2"ø x 3m PVC Pipe S-1000under evaluation754 pc ½"ø x 3.0m uPVC Pipeliable for rejection.765 pc ½"ø uPVC TeeA statement either711 pc ½"ø uPVC Elbowin the Bidder's784 pc ½"ø uPVC Blue Female Threaded Adaptorstatement of794 pc ½"angle Valve Brasscompliance or the803 pc Teflon Tape ¾"supporting812 can PVC Solventevidence that is8210 mtr 3/8"ø Circular Loomfound to be false831 lngth ¾"ø x 3m, RSC Pipe, thick Wallevaluation, post-841 pc ¾ "ø LV RSCgualification or the853 pc ¾ "ø x v3", Nipple RSCqualification of the8722 lngth ½"ø x 3m Electrical uPVCevacution of the			
743 pc 2"ø x 3m PVC Pipe S -1000Inder Evaluation754 pc ½"ø x 3.0m uPVC Pipeliable for rejection.765 pc ½"ø uPVC TeeA statement either711 pc ½"ø uPVC Elbowin the Bidder's784 pc ½"ø uPVC Blue Female Threaded Adaptorstatement of794 pc ½"angle Valve Brasscompliance or the803 pc Teflon Tape ¾"supporting812 can PVC Solventevidence that is8210 mtr 3/8"ø Circular Loomfound to be false831 lngth ¾"ø x 3m, RSC Pipe, thick Wallevidence cap841 pc ¾ "ø Service Entrance Capevaluation, post-851 pc ¾ "ø x v3", Nipple RSCqualification or the8722 lngth ½"ø x 3m Electrical uPVCevecution of the			
754 pc ½ "ø x 3.0m uPVC PipeHable for rejection.765 pc ½ "ø uPVC TeeA statement either711 pc ½ "ø uPVC Elbowin the Bidder's784 pc ½ "ø uPVC Blue Female Threaded Adaptorstatement of794 pc ½ "Angle Valve Brasscompliance or the803 pc Teflon Tape ¾"supporting812 can PVC Solventevidence that is8210 mtr 3/8" ø Circular Loomfound to be false831 lngth ¾ "ø x 3m, RSC Pipe, thick Wallevaluation, post-841 pc ¾ "ø Service Entrance Capevaluation, post-851 pc ¾ "ø x 3m Electrical uPVCexecution of the			
765 pc ½ ø uPVC TeeA statement either771 pc ½ ø uPVC Elbowin the Bidder's784 pc ½ ø uPVC Blue Female Threaded Adaptorstatement of794 pc ½ "Angle Valve Brasscompliance or the803 pc Teflon Tape ¾"supporting812 can PVC Solventevidence that is8210 mtr 3/8"ø Circular Loomfound to be false831 lngth ¾ "ø x 3m, RSC Pipe, thick Wallevidence Cap841 pc ¾ "ø Service Entrance Capevaluation, post-851 pc ¾ "ø x v3", Nipple RSCqualification or the8622 lngth ½ "ø x 3m Electrical uPVCexecution of the			liable for rejection.
771 pc ½"ø uPVC Elbowin the Bidder's784 pc ½"ø uPVC Blue Female Threaded Adaptorstatement of794 pc ½"Angle Valve Brasscompliance or the803 pc Teflon Tape ¾"supporting812 can PVC Solventevidence that is8210 mtr 3/8"ø Circular Loomfound to be false831 lngth ¾"ø x 3m, RSC Pipe, thick Walleither during Bid841 pc ¾"ø Service Entrance Capevaluation, post-851 pc ¾"ø x v3", Nipple RSCqualification or the863 pc ¾"ø x v3", Nipple RSCexecution of the			÷ ÷
784 pc ½"ø uPVC Blue Female Threaded Adaptorstatement of794 pc ½"Angle Valve Brasscompliance or the803 pc Teflon Tape ¾"supporting812 can PVC Solventevidence that is8210 mtr 3/8"ø Circular Loomfound to be false831 lngth ¾"ø x 3m, RSC Pipe, thick Walleither during Bid841 pc ¾"ø Service Entrance Capevaluation, post-851 pc ¾"ø x v3", Nipple RSCqualification or the863 pc ¾"ø x v3", Nipple RSCexecution of the			in the Bidder's
794 pc ½"Angle Valve Brasscompliance or the803 pc Teflon Tape ¾"supporting812 can PVC Solventevidence that is8210 mtr 3/8"ø Circular Loomfound to be false831 lngth ¾"ø x 3m, RSC Pipe, thick Walleither during Bid841 pc ¾ "ø Service Entrance Capevaluation, post-851 pc ¾ "ø x v3", Nipple RSCqualification or the863 pc ¾ "ø x v3", Nipple RSCexecution of the			statement of
803 pc Teflon Tape ¾"supporting812 can PVC Solventevidence that is8210 mtr 3/8"ø Circular Loomfound to be false831 lngth ¾"ø x 3m, RSC Pipe, thick Walleither during Bid841 pc ¾ "ø Service Entrance Capevaluation, post-851 pc ¾ "ø x v3", Nipple RSCgualification or the863 pc ¾ "ø x v3", Nipple RSCevecution of the			
812 can PVC Solventindex constraints8210 mtr 3/8"ø Circular Loomevidence that is831 lngth ¾"ø x 3m, RSC Pipe, thick Wallfound to be false841 pc ¾ "ø Service Entrance Capeither during Bid851 pc ¾ "ø LV RSCevaluation, post-863 pc ¾ "ø x v3", Nipple RSCqualification or the8722 lngth ½"ø x 3m Electrical uPVCexecution of the			-
8210 mtr 3/8"ø Circular Loom831 lngth ¾"ø x 3m, RSC Pipe, thick Wall841 pc ¾ "ø Service Entrance Cap851 pc ¾ "ø LV RSC863 pc ¾ "ø x v3", Nipple RSC8722 lngth ½"ø x 3m Electrical uPVC			
831 Ingth ¾"ø x 3m, RSC Pipe, thick Wall841 pc ¾ "ø Service Entrance Cap851 pc ¾ "ø LV RSC863 pc ¾ "ø x v3", Nipple RSC8722 Ingth ½"ø x 3m Electrical uPVC			
841 pc ¾ "ø Service Entrance Cap851 pc ¾ "ø LV RSC863 pc ¾ "ø x v3", Nipple RSC8722 Ingth ½" ø x 3m Electrical uPVC			
851 pc ¾ "ø LV RSCevaluation, post- qualification or the execution of the863 pc ¾ "ø x v3", Nipple RSCgualification or the execution of the8722 Ingth ½" ø x 3m Electrical uPVCevaluation, post- qualification or the execution of the			•
863 pc ¾ "ø x v3", Nipple RSCqualification or the execution of the8722 Ingth ½" ø x 3m Electrical uPVCexecution of the			
87 22 lngth 1/2"øx 3m Electrical uPVC execution of the			
88 20 pc ½"øx Long Elbow uPVC Contract may be	8		
	8	3 20 pc ½"øx Long Elbow uPVC	Contract may be

90 1 set Se	90 1 set Secondary Rack Assembly w/ 1 Spool Insulator,									
91 7 Ingth	fraudulent and render the Bidder									
92 5 pc ³ 4" 93 5 pc ³ 4"	or supplier liable									
	unction Box, u	ctor w/ Bushin	y		for prosecution					
	ure Box, 5" x !				subject to the					
	ility Box, uPVC				applicable laws and					
	ectrical Tape, 3				issuances.]					
98 3 pc 41/2	#øPVC Rece	ptacle								
	00ml Solvent									
	16 G.I Tie Wir									
			/ire 2 Permalite Type							
			/ire 2 Permalite Type 8X, Black Color							
			8X, White/Green Color							
	ed Bilb, 15 Wa									
			Holder, 18-20 watts, DL, HD.							
	I-Gang Switch									
	3-Gang Switch									
			Jniversal, WWY-200,16A							
			2Pole TQLGE Including Breakers,							
			hes,2Pole TQLGE Including Breakers,							
	2 Pole, TQLO , 2 Pole, TQLO									
	, 2 Pole, TQL(
		 CL100, ¾"ø Hu	b							
	Rubber Pail									
		n) Rapid Formi	ng Steel door w/jamb w/Hinges							
	oor Knob									
115 4 pc 3	½" x 3½" Hing	es w/ Screw L								
			PROCUREMENT OF HARDWARE MATERIALS FOR CONST. OF THREE (3) CLASSROOM							
6	B20210224	21010396	BLDG. AT MOUNG ELEM. SCHOOL, SITIO	299,086.00						
			TIABONG, GUPITAN, KAPALONG, DDN							
			87 - 27 - 24							
1 67 pcs. 5	5mm thk x 1.20	0m x 2.40m Ma	arine Plywood, Type II with PS Markings							
		0m x 2.40m O	rdinary Plywood, Type II with PS Markings		[Bidders must state					
	2" CW Nails				here either					
4 1 kg. 1" ("Comply" or "Not					
	½" CW Nails " CW Nails				Comply" against					
	CW Nails				each of the					
	CW Nails				individual					
9 30 kg. 21	2" Umbrella T	ype Nails			parameters of each					
	Rubber Pail				Spe cific ation					
		0m DRB (Grad	le 33)		stating the					
	16 Tie Wire				corresponding					
	Hacksaw Blac		tran		performance					
		2" x 12" Post S Machine Bolt w	riap vith Nut and Washer		parameter of the					
	Nood Glue	Machine Duit M			equipment offered.					
		ite Solution (W	/ater Soluble)		Statements of					
18 3 qrts. I	Elastomeric Re	of Sealant	,		"Comply" or "Not					
	B-800 Flat Wa	II Enamel			Comply" must be					
	Glazing Putty				supported by					
		ard Slating Pai			evidence in a					
		Roller with Han	luie		Bidders Bid and					
	I" Paint Brush Paint Brush				cross-referenced to					
)m 5mm thk M	arine Plywood Flush Door on 2" x 3" Door Frame	with 2" x 4" Jamh	that evidence.					
	Door Knob				Evidence shall be					
		P Hinges with	Screw		in the form of					
					manufacturer's un-					
28 116 pcs			Corrugated Metallic Plastic Roofing Metallic Plastic Ridge Cap		amended sales					

7	B20210225	21020882	PROCUREMENT OF EQUIPMENT RENTAL BACKHOE FOR DESILTATION OF CUAMBOGAN CREEK, TAGUM CITY	366,755.74	literature, unconditional statements of specification and
Bare Renta	pment Rental al Rate (w/ Op (Tract Type)	perator) for L			compliance issued by the manufacturer, samples,
8	B20210226	20127340	PROCUREMENT OF HARDWARE MATERIALS FOR IMPV'T. OF TRAINING CENTER AT PDRRMC BUILDING (NEW BUILDING) (REVISED), GOV'T. CENTER, MANKILAM	688,254.00	independent test data etc., as appropriate. A statement that is
	2. 84 pt 3. 95 pt 4. 6 pc: 5. 2 pc: 6. 13 pt 7. 11 pt 8. 3 box 9. 5 pc: 10. 5 pc: 11. 2 shi 12. 4 shi 13. 10 kg 14. 12 pt 15. 1 pc. 16. 13 kg 17. 13 kg 18. 13 kg 19. 3 box 20. 2 pc: 21. 2 box 22. 2 set 23. 2 set 24. 60 ln 25. 2 set 26. 1 pc. 27. 15 m 28. 1 pc. 30. 9 pc: 31. 6 pc: 32. 2 set 33. 2 pc: 34. 4 pc: 35. 2 pc: 36. 2 pc: 37. <td< td=""><td>cs. 4.5mm x 50 s. 4.5mm x 380 s. 16mmø Star cs. 3mm x 25n xes Welding R s. 14"ø Cut-Off s. 4"ø Grinding s. 5mm thk. x ts. 5mm thk. x g. # 16 G.I. Tie cs. Hacksaw B . Rubber Pail g. 4" CW Nais g. 2½" CW Nais g. 1½" CW Nais s. 418" Metal D xes 1/8" x 34" E ts (0.70m x 2.1 ts Door Knob n.m. 0.400mm ts Flush-Type 1. ½"ø PE Coup n. ½"ø PE Coup s. ½"ø Univers s. ½"ø Univers s. Single Towe s. ½"ø Univers s. Single Towe s. ½"ø Pipe uP s. 4"ø PVC 90 s. 4"ø PVC 12 s. 2"ø X 4" Ø PV s. 2"ø X 4" Ø PV s. 2"ø X 4" Ø PV s. 2"ø PV C 12 s. 4"ø PV C 12 s. 2"ø PV C 12 s. 4"ø PV C 12 s. 2"ø PV C 12 s. 2"ø PV C 12 s. 4"ø PV C 12 s. 2"ø X 3m PV cs. 4"ø PV C 12 s. 12 s</td><td> .0m DRB (Grade 33) .0mm x 50mm x 6.0m Angle Bar .ndard Turn Buckle .nm x 25mm x 6.0m Angle Bar .nd x 25mm x 6.0m Angle Bar .nm x 6.0m Flat Bar .od N55 (20kg./box) f Wheel for Steel .120m x 2.40m Marine Plywood, Type II with PS 1.20m x 2.40m Ordinary Plywood, Type II with P Wire .lade (Class A) .ils .is .rew (500pcs./box) rill Bit .alind Rivets (1,000pcs./box) .00m) PVC Door & Jamb with Complete Accessori x 1.220m x Special Cut Long Span Rib Type Roc Watercloset (Padova Package-Watercloset+Lavashing .Pipe (SDR 11) .Alae Adaptor .^a Female Adaptor (Threaded) .^b e .0° Elbow e & Shower Set (Plastic) aucet al Angle Bar .^c A Rail .VC Drain (Stainless Steel) t Cement (100cc) an Out with Plug and Sealing Ring, ISO Trap with Plug and Sealing Ring, ISO </td><td>S Markings ies</td><td>not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post- qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.]</td></td<>	cs. 4.5mm x 50 s. 4.5mm x 380 s. 16mmø Star cs. 3mm x 25n xes Welding R s. 14"ø Cut-Off s. 4"ø Grinding s. 5mm thk. x ts. 5mm thk. x g. # 16 G.I. Tie cs. Hacksaw B . Rubber Pail g. 4" CW Nais g. 2½" CW Nais g. 1½" CW Nais s. 418" Metal D xes 1/8" x 34" E ts (0.70m x 2.1 ts Door Knob n.m. 0.400mm ts Flush-Type 1. ½"ø PE Coup n. ½"ø PE Coup s. ½"ø Univers s. ½"ø Univers s. Single Towe s. ½"ø Univers s. Single Towe s. ½"ø Pipe uP s. 4"ø PVC 90 s. 4"ø PVC 12 s. 2"ø X 4" Ø PV s. 2"ø X 4" Ø PV s. 2"ø X 4" Ø PV s. 2"ø PV C 12 s. 4"ø PV C 12 s. 2"ø PV C 12 s. 4"ø PV C 12 s. 2"ø PV C 12 s. 2"ø PV C 12 s. 4"ø PV C 12 s. 2"ø X 3m PV cs. 4"ø PV C 12 s. 12 s	 .0m DRB (Grade 33) .0mm x 50mm x 6.0m Angle Bar .ndard Turn Buckle .nm x 25mm x 6.0m Angle Bar .nd x 25mm x 6.0m Angle Bar .nm x 6.0m Flat Bar .od N55 (20kg./box) f Wheel for Steel .120m x 2.40m Marine Plywood, Type II with PS 1.20m x 2.40m Ordinary Plywood, Type II with P Wire .lade (Class A) .ils .is .rew (500pcs./box) rill Bit .alind Rivets (1,000pcs./box) .00m) PVC Door & Jamb with Complete Accessori x 1.220m x Special Cut Long Span Rib Type Roc Watercloset (Padova Package-Watercloset+Lavashing .Pipe (SDR 11) .Alae Adaptor .^a Female Adaptor (Threaded) .^b e .0° Elbow e & Shower Set (Plastic) aucet al Angle Bar .^c A Rail .VC Drain (Stainless Steel) t Cement (100cc) an Out with Plug and Sealing Ring, ISO Trap with Plug and Sealing Ring, ISO 	S Markings ies	not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post- qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.]

54.	18 pcs. Utility Box, uPVC	
	5 pcs. Square Box, 5" x 5", uPVC	
	80 lngth ½"ø x 3.0m Electrical uPVC	
	100 pcs. ½"ø Long Elbow uPVC	[Bidders must state
		here either
	80 pcs. ½"ø Short Elbow uPVC, 90°	"Comply" or "Not
	100 pcs. ½"ø PVC Connector	Comply" against
	125 pcs. ½"ø Steel Clamp with Metal Screw	
	14 Ingth ¾"øx 3.0m Electrical uPVC	each of the
62.	14 pcs. ¾"ø Long Elbow, uPVC	individual
63.	16 pcs. ¾"ø PVC Connector	parameters of each
64.	25 pcs. ¾"ø Steel Clamp with Metal Screw	Spe cific ation
	3 Ingth 11/2"øx 3.0m Electrical uPVC	stating the
	5 pcs. 1½"ø Long Elbow uPVC	e e
	10 pcs. 1½"ø Steel Clamp with Metal Screw	corresponding
	1 box #6mmø Tox with Screw (100pcs/box)	performance
		parameter of the
	5 pcs. Electrical Tape, 3m big	equipment offered.
	1 pc. Rubber Tape, 3m big	Statements of
	1 unit Pull Box, 10 x 10 x 16, Ga.16	
	2 pcs. Parallel Connector, 350-500 MCM	"Comply" or "Not
	50 m. 1/2"ø Corrugated Flexible Pipe	Comply" must be
	3 cans PVC Solvent Cement, 400mL	supported by
	25 m. 38.0mm ² THW Stranded Copper Wire (White)	evidence in a
76.	25 m. 38.0mm ² THW Stranded Copper Wire (Red)	Bidders Bid and
77.	25 m. Circular Loom for 38.0mm ²	
78.	25 m. 14.0mm ² THW Stranded Copper Wire (Green)	cross-referenced to
	2 boxes 2.0mm ² THHN/THWN-2 Permalite Type Stranded Copper Wire (150m/box)	that evidence.
	2 boxes 3.5mm ² THHN/THWN-2 Permalite Type Stranded Copper Wire (150m/box)	Evidence shall be
	60 m. 5.5mm ² THHN/THWN-2 Permalite Type Stranded Copper Wire	in the form of
	80 m. 8.0mm ² THHN/THWN-2 Permalite Type Stranded Copper Wire	manufacturer's un-
	2 sets 1-Gang Switch, Wide Series, WWS-213, 16A	0
	•	amended sales
	2 sets 2-Gang Switch, Wide Series, WWS-213, 16A	literature,
	1 set 3-Gang Switch, Wide Series, WWS-213, 16A	unc onditional
	12 sets Duplex Universal Outlet with Ground, WWS-200, Wide Series	statements of
	2 sets Ground Fault Circuit Interrupter (GFCI) 220V	specification and
	2 units Ceiling Mounted Exhaust Fan 12" (XFC-300-12)	compliance issued
	3 sets LED Circular Recessed Downlight, LLRC-15 Watts, DL 1200 LM	- -
90.	18 sets LED Panel Light 60x60cm 36W, 100-240Vac Input	by the
91.	1 unit 125A, 2 Pole, MCCB, TQD Center Main Panel Board with 12 Branches, 2 Pole	manufacturer,
	1 - 125A - 2 Pole, TQDGE	samples,
	2 - 15A - 2 Pole, TQCGE	independent test
	3 - 20A - 2 Pole, TQCGE	data etc., as
	3 - 30A - 2 Pole, TQCGE	
	2 - 40A - 2 Pole, TQCGE	appropriate. A
92.	1 unit 30A, 2 Pole, TQCCGE, MCCB with NEMA 3R Enclosure	statement that is
	2 units 40A, 2 Pole, TQCCGE, MCCB with NEMA 3R Enclosure	not supported by
	346 pcs. 0.60m x 0.60m Synthetic Granite Tiles	evidence or is
	230 pcs. 0.40m x 0.40m Ceramic Glazed Tiles	subsequently found
	48 pcs. 0.40m x 0.40m Ceramic Unglazed Tiles	to be contradicted
	19 bags Tile Adhesive (25kg./bag)	by the evidence
		-
	5 bags Tile Grout with Microban (2kg./bag) - Mild Brown	presented will
	2 pcs. 4"ø Diamond Tip Tile Cutter Blade	render the Bid
	. 1 roll 1" Fiber Tape	under evaluation
	. 1 roll 1" Masking Tape	liable for rejection.
	. 2 pcs. 1" Paint Brush	A statement either
	. 4 pcs. 2" Paint Brush	in the Bidder's
	. 2 pcs. 3" Paint Brush	
	. 1 pc. 6" Baby Paint Roller with Handle	statement of
106	. 5 cans Acrytex Tinting Color	compliance or the
	. 9 gals. B-1705 Acrytex Primer Paint (Premium Grade)	supporting
	. 18 gals. B-1711 Acrytex Cast (Premium Grade)	evidence that is
	. 17 gals. B-1715 Acrytex Semi-Gloss Paint (Premium Grade)	found to be false
	. 7 gals. B-1750 Acrytex Paint Reducer (Premium Grade)	•
	. 9 gals. B-310 Red Oxide Primer Paint (Premium Grade)	either during Bid
	. 15 gals. B-600 Quick Dry Enamel White (Premium Grade)	evaluation, post-
	. 3 gals. Body Filler	qualification or the
	. 2 kg. Old Newspaper	execution of the
	. 2 kg. Old Newspapel . 8 gals. Paint Thinner (Premium Grade)	Contract may be
		commentation may be

	 116. 25 pcs. Sand Paper#120 117. 25 pcs. Sand Paper#80 118. 4 pcs. Steel Brush 119. 16 pcs. 0.400mm x 0.610 x 2.44m Valley Gutter 120. 10 pcs. 1.2mm x 2" x 4" x 6.0m B.I. Cee Purlin 121. 29 pcs. 3mm x 50mm x 50mm x 6.0m Angle Bar (Steel) 122. 3 pcs. 12mmØ x 6.0m Plain Round Bar 123. 5 pcs. 16mmØ x 6.0m Plain Round Bar 124. 4 kg. 3.20"Ø Welding Rod 125. 1 can Elastomeric Sealant, 400mL 							
9	B20210227	346,448.00						
1.	199 bags Portla				1			
2.	67 shts. 5mm th	nk x 1.20m x 2	40m Marine Plywood, Type II with PS Markings					
3.			40m Ordinary Plywood, Type II with PS Markings	5				
4. 5.	36 kg. 1½" CW 1 kg. 1" CW Na							
5. 6.	45 kg. 2½" CW							
0. 7.	2 kg. 3½" CW N							
8.	64 kg. 3" CW N							
9.	68 kg. 4" CW N							
	30 kg. 2½" Umb		ls					
11.	2 pcs. Rubber F	Pail						
12.	286 pcs. 10mm	Ø x 6.0m DRB	(Grade 33)					
	24 kg. # 16 Tie \							
	14 pcs. Hacksa							
	36 pcs. 4.5mm							
			Bolt with Nut and Washer					
	4 qrts. Wood G							
			ion (Water Soluble)					
	3 qrts. Elastome 2 gals. B-800 F							
	2 gals. B-800 F		51					
21.	1 gal. B65 Sch	ol Board Slatir	ng Paint (Green)					
	4 pcs. 6" Baby I							
	4 pcs. 4" Paint I		-					
	8 pcs. 2" Paint I							
			thk Marine Plywood Flush Door on 2" x 3" Door F	rame with 2" x 4"				
	Jamb							
	6 units Door Kn							
	18 pcs. 3½" x 3							
29. 30.			3.0m Corrugated Metallic Plastic Roofing 2.40m Metallic Plastic Ridge Cap					
			PROCUREMENT OF RICE FOR PSWDO -		4			
10	B20210228	21021187	STOCKPILING OF RELIEF/WELFARE GOODS	1,173,000.00				
510 sacks					-			
High Qual								
ingir Quai	it y							

Section VIII. Checklist of Technical and Financial Documents

Notes on the Checklist of Technical and Financial Documents

The prescribed documents in the checklist are mandatory to be submitted in the Bid, but shall be subject to the following:

- a. GPPB Resolution No. 09-2020 on the efficient procurement measures during a State of Calamity or other similar issuances that shall allow the use of alternate documents in lieu of the mandated requirements; or
- b. Any subsequent GPPB issuances adjusting the documentary requirements after the effectivity of the adoption of the PBDs.

The BAC shall be checking the submitted documents of each Bidder against this checklist to ascertain if they are all present, using a non-discretionary "pass/fail" criterion pursuant to Section 30 of the 2016 revised IRR of RA No. 9184.

Checklist of Technical and Financial Documents

I. TECHNICAL COMPONENT ENVELOPE

Class "A" Documents

<u>Legal Documents</u>

- (a) Valid PhilGEPS Registration Certificate (Platinum Membership) (all pages); or
- (b) Registration certificate from Securities and Exchange Commission (SEC), Department of Trade and Industry (DTI) for sole proprietorship, or Cooperative Development Authority (CDA) for cooperatives or its equivalent document,

and

(c) Mayor's or Business permit issued by the city or municipality where the principal place of business of the prospective bidder is located, or the equivalent document for Exclusive Economic Zones or Areas;

and

(d) Tax clearance per E.O. No. 398, s. 2005, as finally reviewed and approved by the Bureau of Internal Revenue (BIR).

Technical Documents

- (e) Statement of the prospective bidder of all its ongoing government and private contracts, including contracts awarded but not yet started, if any, whether similar or not similar in nature and complexity to the contract to be bid; **and**
- (f) Statement of the bidder's Single Largest Completed Contract (SLCC) similar to the contract to be bid, except under conditions provided for in Sections 23.4.1.3 and 23.4.2.4 of the 2016 revised IRR of RA No. 9184, within the relevant period as provided in the Bidding Documents; **and**
- (g) Original copy of Bid Security. If in the form of a Surety Bond, submit also a certification issued by the Insurance Commission;

<u>or</u>

Original copy of Notarized Bid Securing Declaration; and

- (h) Conformity with the Technical Specifications, which may include production/delivery schedule, manpower requirements, and/or after-sales/parts, if applicable; <u>and</u>
- (i) Original duly signed Omnibus Sworn Statement (OSS);
 and if applicable, Original Notarized Secretary's Certificate in case of a corporation, partnership, or cooperative; or Original Special Power of Attorney of all members of the joint venture giving full power and authority to its officer to sign the OSS and do acts to represent the Bidder.
- (j) Registration/Bidders fee of P 500.00 (enclose official receipt only) (*Note: Must be renewed annually*)

Financial Documents

(k) The Supplier's audited financial statements, showing, among others, the Supplier's total and current assets and liabilities, stamped "received" by the BIR or its duly accredited and authorized institutions, for the preceding calendar year which should not be earlier than two (2) years from the date of

bid submission; and

(l)

The prospective bidder's computation of Net Financial Contracting Capacity (NFCC);

or

A committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation.

Class "B" Documents

(m) If applicable, a duly signed joint venture agreement (JVA) in case the joint venture is already in existence;

or

duly notarized statements from all the potential joint venture partners stating that they will enter into and abide by the provisions of the JVA in the instance that the bid is successful.

II. FINANCIAL COMPONENT ENVELOPE

- (n) Original of duly signed and accomplished Financial Bid Form enclosed in bid document; **and**
- (o) Bid form PASIMS generated (This shall be given upon receipt of the Bidding Document after payment of the non-refundable fee)

Note:

1. Fill-up the Bid form PASIMS generated provided, (Handwritten or Typewritten).

2. Only the original bid form shall be accepted.

3. Photocopy of the Bid form shall be accepted, provided that it shall be in the original size of the bid form (8.5x13) paper size.

- (p)
- Original of duly signed and accomplished Price Schedule(s).

Section IX. Sample Forms

- 1. Statement of all Ongoing Government & Private Contracts Including Awarded Contract
- 2. Statement of the Bidder's Single Largest Completed Contract (SLCC)
- 3. Net Financial Contracting Capacity (NFCC)
- 4. Form of Bid Security (Bank Guarantee)
- 5. Bid Security Declaration
- 6. Omnibus Sworn Statement
- 7. Bid Form

Standard Form Number: SF-GOOD-13a

Statement of all Ongoing Government & Private Contracts Including Awarded Contracts but not yet started

 Business Name
 :

 Business Address
 :

Name of Outstanding Contract with other contracting party/ Project Cost	a. Owner's Name b. Address c. Telephone Nos.	Kinds of Goods/ Nature of Work	Bidder's Role		a. Date Awarded	% of Accomplishment		Value of Outstanding
			Description	%	b. Date Started c. Date of Completion	Planned	Actual	Works/ Undelive red Portion
						Total Co	ost	

Note: This statement shall be supported with:

- 1. Notice of Award and/or contract
- 2. Notice to proceed issued by the owner
- 3. Certificate of Accomplishments signed by the owner or authorized representative

:_____

:

Submitted by

: ______(Printed Name & Signature)

Designation

Date

Standard Form Number: SF-GOOD-13b

Statement of Single Largest Completed Contract (SLCC)

Name of Contract/	a. Owner's Name	Definition or description of the	Bidder's F	a. A b. Aı	
Project Cost	b. Address c. Telephone Nos.	similar project or major categories of work	Description	%	b. A1 c. D
					Tot

Note: This statement shall be supported with:

- 1. Contract
- 2.
- Certificate of completion Certificate of Acceptance 3.

Submitted by	:	
·	(Printed Name & Signature)	
Designation	:	
Date	:	

48

NET FINANCIAL CONTRACTING CAPACITY (NFCC)

The computation for the Net Financial Contracting Capacity (NFCC) should be included in the eligibility documents following the formula and format calculated as follows:

NFCC = [(Current assets minus current liabilities) (15)] minus the value of all outstanding or uncompleted portions of the projects under ongoing contracts, including awarded contracts yet to be started, coinciding with the contract to be bid.

Note: K factor is fixed at 15

The values of the bidder's current assets and current liabilities shall be based on the latest Audited Financial Statements submitted to the BIR.

*Current assets and current liabilities should be picked up from the corresponding entry in the audited financial statement for the year 2019.

*The NFCC should at least be equal to the Approved Budget for the Contract (ABC) to be bid.

Example:	
Current Assets -	P 5.2M
Current Liabilities -	P 4.1M

Value of all outstanding or uncompleted portions of the projects under ongoing contracts, including awarded contracts yet to be started, coinciding with the contract to be bid–

P 1.1M

NFCC = (5.2M - 4.1M) * 15 - 1.1M

NFCC = 15.4M

Bid Securing Declaration Form

[shall be submitted with the Bid if bidder opts to provide this form of bid security]

REPUBLIC OF THE PHILIPPINES)

CITY OF ______) S.S.

BID SECURING DECLARATION Project Identification No.: [Insert number]

To: [Insert name and address of the Procuring Entity] I/We, the undersigned, declare that:

1. I/We understand that, according to your conditions, bids must be supported by a Bid Security, which may be in the form of a Bid Securing Declaration.

2. I/We accept that: (a) I/we will be automatically disqualified from bidding for any procurement contract with any procuring entity for a period of two (2) years upon receipt of your Blacklisting Order; and, (b) I/we will pay the applicable fine provided under Section 6 of the Guidelines on the Use of Bid Securing Declaration, within fifteen (15) days from receipt of the written demand by the procuring entity for the commission of acts resulting to the enforcement of the bid securing declaration under Sections 23.1(b), 34.2, 40.1 and 69.1, except 69.1(f),of the IRR of RA No. 9184; without prejudice to other legal action the government may undertake.

3. I/We understand that this Bid Securing Declaration shall cease to be valid on the following circumstances:

a. Upon expiration of the bid validity period, or any extension thereof pursuant to your request;

b. I am/we are declared ineligible or post-disqualified upon receipt of your notice to such effect, and (i) I/we failed to timely file a request for reconsideration or (ii) I/we filed a waiver to avail of said right; and

c. I am/we are declared the bidder with the Lowest Calculated Responsive Bid, and I/we have furnished the performance security and signed the Contract.

IN WITNESS WHEREOF, I/We have hereunto set my/our hand/s this _____ day of [month] [year] at [place of execution].

[Insert NAME OF BIDDER OR ITS AUTHORIZED REPRESENTATIVE] [Insert signatory's legal capacity] Affiant

[Jurat] [Format shall be based on the latest Rules on Notarial Practice]

Contract Agreement Form for the Procurement of Goods (Revised)

[Not required to be submitted with the Bid, but it shall be submitted within ten (10) days after receiving the Notice of Award]

CONTRACT AGREEMENT

THIS AGREEMENT made the _____ day of _____ 20____ between [name of PROCURING ENTITY] of the Philippines (hereinafter called "the Entity") of the one part and [name of Supplier] of [city and country of Supplier] (hereinafter called "the Supplier") of the other part;

WHEREAS, the Entity invited Bids for certain goods and ancillary services, particularly [brief description of goods and services] and has accepted a Bid by the Supplier for the supply of those goods and services in the sum of [contract price in words and figures in specified currency] (hereinafter called "the Contract Price").

NOW THIS AGREEMENT WITNESSETH AS FOLLOWS:

1. In this Agreement words and expressions shall have the same meanings as are respectively assigned to them in the Conditions of Contract referred to.

2. The following documents as required by the 2016 revised Implementing Rules and Regulations of Republic Act No. 9184 shall be deemed to form and be read and construed as integral part of this Agreement, viz:

i. Philippine Bidding Documents (PBDs);

- i. Schedule of Requirements;
- ii. Technical Specifications;
- iii. General and Special Conditions of Contract; and
- iv. Supplemental or Bid Bulletins, if any

ii. Winning bidder's bid, including the Eligibility requirements, Technical and Financial Proposals, and all other documents or statements submitted;

Bid form, including all the documents/statements contained in the Bidder's bidding envelopes, as annexes, and all other documents submitted (*e.g.*, Bidder's response to request for clarifications on the bid), including corrections to the bid, if any, resulting from the Procuring Entity's bid evaluation;

iii. Performance Security;

iv. Notice of Award of Contract; and the Bidder's conforme thereto; and

v. Other contract documents that may be required by existing laws and/or the Procuring Entity concerned in the PBDs. <u>Winning bidder agrees that additional contract documents or information prescribed by the GPPB that are subsequently required for submission after the contract execution, such as the Notice to Proceed, Variation Orders, and Warranty Security, shall likewise form part of the Contract.</u>

3. In consideration for the sum of [total contract price in words and figures] or such other sums as may be ascertained, [Named of the bidder] agrees to [state the object of the contract] in accordance with his/her/its Bid.

4. The *[Name of the procuring entity]* agrees to pay the above-mentioned sum in accordance with the terms of the Bidding.

IN WITNESS whereof the parties hereto have caused this Agreement to be executed in accordance with the laws of the Republic of the Philippines on the day and year first above written.

[Insert Name and Signature] [Insert Signatory's Legal Capacity] for: [Insert Procuring Entity] [Insert Name and Signature] [Insert Signatory's Legal Capacity] for: [Insert Name of Supplier]

Acknowledgment

[Format shall be based on the latest Rules on Notarial Practice]

Omnibus Sworn Statement (Revised)

[shall be submitted with the Bid]

REPUBLIC OF THE PHILIPPINES) CITY/MUNICIPALITY OF _____) S.S.

AFFIDAVIT

I, [Name of Affiant], of legal age, [Civil Status], [Nationality], and residing at [Address of Affiant], after having been duly sworn in accordance with law, do hereby depose and state that:

1. [Select one, delete the other:]

[*If a sole proprietorship:*] I am the sole proprietor or authorized representative of [Name of Bidder] with office address at [address of Bidder];

[If a partnership, corporation, cooperative, or joint venture:] I am the duly authorized and designated representative of [Name of Bidder] with office address at [address of Bidder];

2. [Select one, delete the other:]

[If a sole proprietorship:] As the owner and sole proprietor, or authorized representative of [Name of Bidder], I have full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached duly notarized Special Power of Attorney;

[*If a partnership, corporation, cooperative, or joint venture:*] I am granted full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached [state title of attached document showing proof of authorization (e.g., duly notarized Secretary's Certificate, Board/Partnership Resolution, or Special Power of Attorney, whichever is applicable;)];

3. [Name of Bidder] is not "blacklisted" or barred from bidding by the Government of the Philippines or any of its agencies, offices, corporations, or Local Government Units, foreign government/foreign or international financing institution whose blacklisting rules have been recognized by the Government Procurement Policy Board, by itself or by relation, membership, association, affiliation, or controlling interest with another blacklisted person or entity as defined and provided for in the Uniform Guidelines on Blacklisting;

4. Each of the documents submitted in satisfaction of the bidding requirements is an authentic copy of the original, complete, and all statements and information provided therein are true and correct;

5. [Name of Bidder] is authorizing the Head of the Procuring Entity or its duly authorized representative(s) to verify all the documents submitted;

6. [Select one, delete the rest:]

[*If a sole proprietorship:*] The owner or sole proprietor is not related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

[If a partnership or cooperative:] None of the officers and members of [Name of Bidder] is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

[*If a corporation or joint venture:*] None of the officers, directors, and controlling stockholders of *[Name of Bidder]* is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

7. [Name of Bidder] complies with existing labor laws and standards; and

8. *[Name of Bidder]* is aware of and has undertaken the responsibilities as a Bidder in compliance with the Philippine Bidding Documents, which includes:

- a. Carefully examining all of the Bidding Documents;
- b. Acknowledging all conditions, local or otherwise, affecting the implementation of the Contract;
- c. Making an estimate of the facilities available and needed for the contract to be bid, if any; and
- d. Inquiring or securing Supplemental/Bid Bulletin(s) issued for the [Name of the Project].

9. *[Name of Bidder]* did not give or pay directly or indirectly, any commission, amount, fee, or any form of consideration, pecuniary or otherwise, to any person or official, personnel or representative of the government in relation to any procurement project or activity.

10. In case advance payment was made or given, failure to perform or deliver any of the obligations and undertakings in the contract shall be sufficient grounds to constitute criminal liability for Swindling (Estafa) or the commission of fraud with unfaithfulness or abuse of confidence through misappropriating or converting any payment received by a person or entity under an obligation involving the duty to deliver certain goods or services, to the prejudice of the public and the government of the Philippines pursuant to Article 315 of Act No. 3815 s. 1930, as amended, or the Revised Penal Code.

IN WITNESS WHEREOF, I have hereunto set my hand this ______ day of _____, 20___ at ______, Philippines.

[Insert NAME OF BIDDER OR ITS AUTHORIZED REPRESENTATIVE] [Insert signatory's legal capacity] Affiant

[Jurat] [Format shall be based on the latest Rules on Notarial Practice]

Performance Securing Declaration (Revised)

[if used as an alternative performance security but it is not required to be submitted with the Bid, as it shall be submitted within ten (10) days after receiving the Notice of Award]

REPUBLIC OF THE PHILIPPINES) CITY OF ______) S.S.

PERFORMANCE SECURING DECLARATION

Invitation to Bid: [Insert Reference Number indicated in the Bidding Documents] To: [Insert name and address of the Procuring Entity]

I/We, the undersigned, declare that:

1. I/We understand that, according to your conditions, to guarantee the faithful performance by the supplier/distributor/manufacturer/contractor/consultant of its obligations under the Contract, I/we shall submit a Performance Securing Declaration within a maximum period of ten (10) calendar days from the receipt of the Notice of Award prior to the signing of the Contract.

2. I/We accept that: I/we will be automatically disqualified from bidding for any procurement contract with any procuring entity for a period of one (1) year for the first offense, or two (2) years for the second offense, upon receipt of your Blacklisting Order if I/We have violated my/our obligations under the Contract;

3. I/We understand that this Performance Securing Declaration shall cease to be valid upon:

a. issuance by the Procuring Entity of the Certificate of Final Acceptance, subject to the following conditions:

i. Procuring Entity has no claims filed against the contract awardee;

- ii. It has no claims for labor and materials filed against the contractor; and
- iii. Other terms of the contract; or

b. replacement by the winning bidder of the submitted PSD with a performance security in any of the prescribed forms under Section 39.2 of the 2016 revised IRR of RA No. 9184 as required by the end-user.

IN WITNESS WHEREOF, I/We have hereunto set my/our hand/s this _____ day of [month] [year] at [place of execution].

[Insert NAME OF BIDDER OR ITS AUTHORIZED REPRESENTATIVE] [Insert signatory's legal capacity] Affiant

[Jurat]

[Format shall be based on the latest Rules on Notarial Practice]

Price Schedule for Goods Offered from Within the Philippines

[shall be submitted with the Bid if bidder is offering goods from within the Philippines]

For Goods Offered from Within the Philippines

Name of Bidder ______ Bid No._____ Page ____ of ____

1	2	3	4	5	6	7	8	9	10
Item	Description	Country of origin	Quantity	Unit price EXW per item	Transportation and all other costs incidental to delivery, per item	Sales and other taxes payable if Contract are awarded, per i tem	Cost of Incidental Services, if applicable, per i tem	Total Price, per unit (col 5+6+7+8)	Total Price delivered Final Destination (col 9) x (col 4)

Name:	_
Legal Capacity:	
Signature:	_
Duly authorized to sign the Bid for and behalf of:	
• •	

Bid Form for the Procurement of Goods

[shall be submitted with the Bid]

BID FORM

Date: _	
Bid No.: _	

To: [name and address of Procuring Entity]

Having examined the Philippine Bidding Documents (PBDs) including the Supplemental or Bid Bulletin Numbers *[insert numbers]*, the receipt of which is hereby duly acknowledged, we, the undersigned, offer to *[supply/deliver/perform] [description of the Goods]* in conformity with the said PBDs for the sum of *[total Bid amount in words and figures]* or the total calculated bid price, as evaluated and corrected for computational errors, and other bid modifications in accordance with the Price Schedules attached herewith and made part of this Bid. The total bid price includes the cost of all taxes, such as, but not limited to: *[specify the applicable taxes, e.g. (i) value added tax (VAT), (ii) income tax, (iii) local taxes, and (iv) other fiscal levies and duties]*, which are itemized herein or in the Price Schedules,

If our Bid is accepted, we undertake:

a. to deliver the goods in accordance with the delivery schedule specified in the Schedule of Requirements of the Philippine Bidding Documents (PBDs);

b. to provide a performance security in the form, amounts, and within the times prescribed in the PBDs;

c. to abide by the Bid Validity Period specified in the PBDs and it shall remain binding upon us at any time before the expiration of that period.

Until a formal Contract is prepared and executed, this Bid, together with your written acceptance thereof and your Notice of Award, shall be binding upon us.

We understand that you are not bound to accept the Lowest Calculated Bid or any Bid you may receive.


We certify/confirm that we comply with the eligibility requirements pursuant to the PBDs.

The undersigned is authorized to submit the bid on behalf of [name of the bidder] as evidenced by the attached [state the written authority].

We acknowledge that failure to sign each and every page of this Bid Form, including the attached Schedule of Prices, shall be a ground for the rejection of our bid.

Name:
Legal capacity:
Signature:
Duly authorized to sign the Bid for and behalf of:
Date:

Section X. SEALING AND MARKING OF BIDS



I. Single Stage Bidding Process

Envelope 1. Original Bid

- a. Original Eligibility Documents and Technical Proposal
- b. Original Financial Proposal
- Envelope 2. Copy #1
 - a. Copy #1 Eligibility Documents and Technical Proposal
 - b. Copy #1 Financial Proposal
- Envelope 3. Copy #2
 - a. Copy #2 Eligibility Documents and Technical Proposal
 - b. Copy #2 Financial Proposal

II. Each Envelope shall:

- 1. Contain the name of the contract to be bid in capital letters
- 2. Bear the name and address of the prospective bidder in capital letters
- 3. Bear addressed to the PROCURING ENTITY'S BAC
- 4. Bear the specific identification of this project indicated in the ITB
- 5. Bear a warning "DO NOT OPEN BEFORE" the date and time for the Opening of Bids indicated in the ITB.

Each envelope must be sealed.

The Chairman Bids & Awards Committee 2F/PGSO Building, Government Center, Mankilam, Tagum City Davao del Norte		
Bid No. / PROCUREMENT OF		
Contractor:	(NAME OF CONTRACTOR) (ADDRESS)	00.00 A M ²
"DO NOT OPEN BEFOREAT <u>09:00 AM</u> "		

